



County of Fresno

DEPARTMENT OF PUBLIC WORKS AND PLANNING
STEVEN E. WHITE, DIRECTOR

January 10, 2020

State Clearinghouse
Office of Planning and Research
Attn: Sheila Brown
1400 Tenth Street, Room 212
Sacramento, CA 95814

Dear Ms. Brown:

Subject: State Clearinghouse Review of Proposed Mitigated Negative Declaration for Initial Study Application No. 7568 (Luis Bravo on behalf of Rito Gutierrez)

Enclosed Please find the following documents:

1. Notice of Completion/Reviewing Agencies Checklist
2. Notice of Intent to Adopt a Mitigated Negative Declaration
3. Fifteen (15) hard copies of Draft Initial Study, Draft Mitigated Negative Declaration (MND), and Project Routing
4. One (1) electronic copy of the Draft Initial Study, Draft Mitigated Negative Declaration (MND), and Project Routing

We request that you distribute the documents to appropriate state agencies for review as provided for in Section 15073 of the CEQA Guidelines, and that the review be completed within the normal 30-day review period. Please transmit any document to my attention at the below listed address or to eahmad@fresnocountyca.gov

Sincerely,

Ejaz Ahmad, Planner
Development Services and Capital Projects Division

EA:

G:\4360Devs&Pln\PROJSEC\PROJDOCS\CUP\3600-3699\3632\CUP3632 SCH Letter

Enclosures

Notice of Completion & Environmental Document Transmittal

Mail to: State Clearinghouse, P.O. Box 3044, Sacramento, CA 95812-3044 (916) 445-0613
For Hand Delivery/Street Address: 1400 Tenth Street, Sacramento, CA 95814

SCH #

Project Title: Initial Study No. 7568 (Luis Bravo on behalf of Rito Gutierrez)

Lead Agency: County of Fresno Contact Person: Ejaz Ahmad
Mailing Address: 2220 Tulare Street, Sixth Floor Phone: (559) 600-4204
City: Fresno Zip: 93721 County: Fresno

Project Location: County: Fresno City/Nearest Community: Reedley
Cross Streets: W. Jayne Avenue approx. 2,556 feet west of its intersection with El Dorado Ave. Zip Code:
Longitude/Latitude (degrees, minutes and seconds): Total Acres: 78.18
Assessor's Parcel No.: 073-090-20S Section: 34 Twp.: 20S Range: 16E Base: Mt. Diablo
Within 2 Miles: State Hwy #: Waterways:
Airports: Railways: Schools:

Document Type:

CEQA: [] NOP [] Draft EIR NEPA: [] NOI Other: [] Joint Document
[] Early Cons [] Supplement/Subsequent EIR [] EA [] Final Document
[] Neg Dec (Prior SCH No.) [] Draft EIS [] Other:
[X] Mit Neg Dec Other:

Local Action Type:

[] General Plan Update [] Specific Plan [] Rezone [] Annexation
[] General Plan Amendment [] Master Plan [] Prezone [] Redevelopment
[] General Plan Element [] Planned Unit Development [X] Use Permit [] Coastal Permit
[] Community Plan [] Site Plan [] Land Division (Subdivision, etc.) [] Other:

Development Type:

[] Residential: Units Acres
[] Office: Sq.ft. Acres Employees
[] Commercial: Sq.ft. Acres 78.18 Employees
[] Industrial: Sq.ft. Acres Employees
[] Educational:
[] Recreational:
[] Water Facilities: Type MGD
[] Transportation: Type
[] Mining: Mineral
[] Power: Type MW
[] Waste Treatment: Type MGD
[] Hazardous Waste: Type
[] Other:

Project Issues Discussed in Document:

[X] Aesthetic/Visual [] Fiscal [X] Recreation/Parks [X] Vegetation
[X] Agricultural Land [X] Flood Plain/Flooding [X] Schools/Universities [X] Water Quality
[X] Air Quality [X] Forest Land/Fire Hazard [] Septic Systems [X] Water Supply/Groundwater
[X] Archeological/Historical [X] Geologic/Seismic [X] Sewer Capacity [X] Wetland/Riparian
[X] Biological Resources [X] Minerals [X] Soil Erosion/Compaction/Grading [X] Growth Inducement
[] Coastal Zone [X] Noise [X] Solid Waste [X] Land Use
[X] Drainage/Absorption [X] Population/Housing Balance [X] Toxic/Hazardous [X] Cumulative Effects
[] Economic/Jobs [X] Public Services/Facilities [X] Traffic/Circulation [] Other:

Present Land Use/Zoning/General Plan Designation:

vacant land/AE-40 (Exclusive Agricultural, 40-acre minimum parcel size) Zone District/Agriculture

Project Description: (please use a separate page if necessary)

Allow a flea market with related improvements on an approximately six-acre portion of a 78.18-acre parcel in AE-20 (Exclusive Agricultural; 20-acre minimum parcel size) Zone District. The project is located on the north side of W. Jayne Avenue approximately 2,556 feet west of its intersection with El Dorado Avenue and 6.4 miles east of the nearest city limits of City of Coalinga (23436 W. Jayne Avenue, Coalinga) (Sup. Dist. 4) (APN 073-090-20S).

Reviewing Agencies Checklist

Lead Agencies may recommend State Clearinghouse distribution by marking agencies below with an "X".
If you have already sent your document to the agency please denote that with an "S".

- | | |
|---|---|
| <input checked="" type="checkbox"/> Air Resources Board | <input type="checkbox"/> Office of Historic Preservation |
| <input type="checkbox"/> Boating & Waterways, Department of | <input type="checkbox"/> Office of Public School Construction |
| <input type="checkbox"/> California Emergency Management Agency | <input type="checkbox"/> Parks & Recreation, Department of |
| <input type="checkbox"/> California Highway Patrol | <input type="checkbox"/> Pesticide Regulation, Department of |
| <input checked="" type="checkbox"/> Caltrans District # <u>6</u> | <input type="checkbox"/> Public Utilities Commission |
| <input type="checkbox"/> Caltrans Division of Aeronautics | <input checked="" type="checkbox"/> Regional WQCB # <u>5</u> |
| <input type="checkbox"/> Caltrans Planning | <input type="checkbox"/> Resources Agency |
| <input type="checkbox"/> Central Valley Flood Protection Board | <input type="checkbox"/> Resources Recycling and Recovery, Department of |
| <input type="checkbox"/> Coachella Valley Mtns. Conservancy | <input type="checkbox"/> S.F. Bay Conservation & Development Comm. |
| <input type="checkbox"/> Coastal Commission | <input type="checkbox"/> San Gabriel & Lower L.A. Rivers & Mtns. Conservancy |
| <input type="checkbox"/> Colorado River Board | <input type="checkbox"/> San Joaquin River Conservancy |
| <input checked="" type="checkbox"/> Conservation, Department of | <input type="checkbox"/> Santa Monica Mtns. Conservancy |
| <input type="checkbox"/> Corrections, Department of | <input type="checkbox"/> State Lands Commission |
| <input type="checkbox"/> Delta Protection Commission | <input type="checkbox"/> SWRCB: Clean Water Grants |
| <input type="checkbox"/> Education, Department of | <input checked="" type="checkbox"/> SWRCB: Water Quality |
| <input type="checkbox"/> Energy Commission | <input type="checkbox"/> SWRCB: Water Rights |
| <input checked="" type="checkbox"/> Fish & Game Region # <u>4</u> | <input type="checkbox"/> Tahoe Regional Planning Agency |
| <input checked="" type="checkbox"/> Food & Agriculture, Department of | <input type="checkbox"/> Toxic Substances Control, Department of |
| <input checked="" type="checkbox"/> Forestry and Fire Protection, Department of | <input type="checkbox"/> Water Resources, Department of |
| <input type="checkbox"/> General Services, Department of | <input checked="" type="checkbox"/> Other: <u>US Fish & Wildlife</u> |
| <input checked="" type="checkbox"/> Health Services, Department of | <input checked="" type="checkbox"/> Other: <u>San Joaquin Valley Air Pollution Control District</u> |
| <input type="checkbox"/> Housing & Community Development | |
| <input type="checkbox"/> Native American Heritage Commission | |

Local Public Review Period (to be filled in by lead agency)

Starting Date January 13, 2020 Ending Date February 11, 2020

Lead Agency (Complete if applicable):

Consulting Firm: <u>County of Fresno</u>	Applicant: <u>Luis Bravo on behalf of Rito Gutierrez</u>
Address: <u>2220 Tulare Street, 6th Floor</u>	Address: <u>3251 N. Marks Avenue</u>
City/State/Zip: <u>Fresno, CA 93721</u>	City/State/Zip: <u>Fresno CA 93722</u>
Contact: <u>Ejaz Ahmad, Project Planner</u>	Phone: <u>(559) 999-1509</u>
Phone: <u>(550) 600-4204</u>	

Signature of Lead Agency Representative:  Date: 01-10-2020

Authority cited: Section 21083, Public Resources Code. Reference: Section 21161, Public Resources Code.

REVIEWING AGENCIES CHECKLIST

KEY
 S = Document sent by lead agency
 X = Document sent by SCH
 ✓ = Suggested distribution

Resources Agency

- Boating & Waterways
- Coastal Commission
- Coastal Conservancy
- Colorado River Board
- Conservation
- Fish & Wildlife
- Forestry
- Office of Historic Preservation
- Parks & Recreation
- Reclamation
- S.F. Bay Conservation & Development Commission
- Water Resources (DWR)

Business, Transportation & Housing

- Aeronautics
- California Highway Patrol
- CALTRANS District # 6
- Department of Transportation Planning (headquarters)
- Housing & Community Development
- Food & Agriculture

Health & Welfare

- Health Services, Fresno County

State & Consumer Services

- General Services
- OLA (Schools)

Environmental Protection Agency

- Air Resources Board
- APCD/AQMD
- California Waste Management Board
- SWRCB: Clean Water Grants
- SWRCB: Delta Unit
- SWRCB: Water Quality
- SWRCB: Water Rights
- Regional WQCB # _____ (Fresno County)

Youth & Adult Corrections

- Corrections

Independent Commissions & Offices

- Energy Commission
- Native American Heritage Commission
- Public Utilities Commission
- Santa Monica Mountains Conservancy
- California Highway Patrol
- U.S. Fish & Wildlife Service
- S. J. Valley Air Pollution Control District
- Pesticide Regulation, Dept. of

Public Review Period (to be filled in by lead agency)

Starting Date: January 13, 2020

Ending Date: February 11, 2020

Signature _____



Date _____

01-10-2020

Lead Agency: Fresno County
 Address: 2220 Tulare Street, 6th Floor
 City/State/Zip: Fresno, CA 93721
 Contact: Ejaz Ahmad, Planner
 Phone: (559) 600-4204

Applicant: Luis Bravo on behalf of Rito Gutierrez
 Address: 3251 N. Marks Avenue
 City/State/Zip Fresno, CA 93722
 Phone: (559) 999-1509


For SCH Use Only:
 Date Received at SCH: _____
 Date Review Starts: _____
 Date to Agencies: _____
 Date to SCH: _____
Clearance Date: _____
 Notes:



County of Fresno

DEPARTMENT OF PUBLIC WORKS AND PLANNING
STEVEN E. WHITE, DIRECTOR

NOTICE OF INTENT TO ADOPT A NEGATIVE DECLARATION



For County Clerk's Stamp

Notice is hereby given that the County of Fresno has prepared Initial Study Application (IS) No. 7568 pursuant to the requirements of the California Environmental Quality Act for the following proposed project:

INITIAL STUDY APPLICATION NO. 7568 and CLASSIFIED CONDITIONAL USE PERMIT APPLICATION NO. 3632 filed by **LUIS BRAVO** on behalf of **RITO GUTIERREZ**, proposing to allow a flea market with related improvements on an approximately six-acre portion of a 78.18-acre parcel in the AE-40 (Exclusive Agricultural, 40-acre minimum parcel size) Zone District. The project is located on the north side of W. Jayne Avenue approximately 2,556 feet west of its intersection with El Dorado Avenue and 6.4 miles east of the nearest city limits of City of Coalinga (23436 W. Jayne Avenue, Coalinga) (Sup. Dist. 4) (APN 073-090-20S). Adopt the Mitigated Negative Declaration prepared for Initial Study Application No. 7568 and take action on Classified Conditional Use Permit Application No. 3632 with Findings and Conditions.

(hereafter, the "Proposed Project")

The County of Fresno has determined that it is appropriate to adopt a Mitigated Negative Declaration for the Proposed Project. The purpose of this Notice is to (1) provide notice of the availability of IS Application No. 7568 and the draft Mitigated Negative Declaration and request written comments thereon; and (2) provide notice of the public hearing regarding the Proposed Project.

Public Comment Period

The County of Fresno will receive written comments on the Proposed Project and Mitigated Negative Declaration from January 13, 2020 through February 11, 2020.

Email written comments to eahmad@fresnocountyca.gov, or mail comments to:

Fresno County Department of Public Works and Planning
Development Services and Capital Projects Division
Attn: Ejaz Ahmad
2220 Tulare Street, Suite A
Fresno, CA 93721

IS Application No. 7568 and the draft Mitigated Negative Declaration may be viewed at the above address Monday through Thursday, 9:00 a.m. to 5:00 p.m., and Friday, 8:30 a.m. to 12:30 p.m. (except holidays). An electronic copy of the draft Mitigated Negative Declaration for the Proposed Project may be obtained from Ejaz Ahmad at the addresses above.

Public Hearing


The Planning Commission will hold a public hearing to consider approving the Proposed Project and the Mitigated Negative Declaration on February 13, 2020, at 8:45 a.m., or as soon thereafter as possible, in Room 301, Hall of Records, 2281 Tulare Street, Fresno, California 93721. Interested persons are invited to appear at the hearing and comment on the Proposed Project and draft Mitigated Negative Declaration.

For questions, please call Ejaz Ahmad at (559) 600-4204.

Published: January 13, 2020

CUP 3632

LOCATION MAP



Prepared by: County of Fresno Department of Public Works and Planning

GS



County of Fresno

DEPARTMENT OF PUBLIC WORKS AND PLANNING
STEVEN E. WHITE, DIRECTOR

INITIAL STUDY ENVIRONMENTAL CHECKLIST FORM

1. **Project title:**
Initial Study Application No. 7568 and Classified Conditional Use Permit Application No. 3632
2. **Lead agency name and address:**
Fresno County Department of Public Works and Planning
Development Services and Capital Projects Division
2220 Tulare Street, 6th Floor
Fresno, CA 93721-2104
3. **Contact person and phone number:**
Ejaz Ahmad, Planner, (559) 600-4204
4. **Project location:**
The project is located on the north side of W. Jayne Avenue approximately 2,556 feet west of its intersection with El Dorado Avenue and 6.4 miles east of the nearest city limits of City of Coalinga (23436 W. Jayne Avenue, Coalinga) (Sup. Dist. 4) (APN 073-090-20S).
5. **Project sponsor's name and address:**
Luis Bravo on behalf of Rito Gutierrez
195 W. Elm Avenue
Coalinga, CA 93210
6. **General Plan designation:**
Agriculture
7. **Zoning:**
AE-20 (Exclusive Agricultural, 20-acre minimum parcel size)
8. **Description of project: (Describe the whole action involved, including, but not limited to, later phases of the project, and any secondary, support, or off-site features necessary for its implementation. Attach additional sheets if necessary.)**
Allow a flea market with related improvements on an approximately six-acre portion of a 78.18-acre parcel in AE-20 (Exclusive Agricultural; 20-acre minimum parcel size) Zone District.
9. **Surrounding land uses and setting: Briefly describe the project's surroundings:**
The project site is a grazing land located near the City of Coalinga in an area comprised of grazing land and sparse agricultural fields. Lands in the immediate vicinity of the project site are grazing land. Most agricultural fields with farming operation are located approximately 1.5 mile to the east of the proposal. Some sporadic farming also exists south and west of the site. The Coalinga State Hospital is approximately one half-mile west of the project site.
10. **Other public agencies whose approval is required (e.g., permits, financing approval, or participation agreement.)**
None
11. **Have California Native American tribes traditionally and culturally affiliated with the project area requested consultation pursuant to Public Resources Code Section 21080.3.1? If so, is there a plan for consultation that**

includes, for example, the determination of significance of impacts to tribal cultural resources, procedures regarding confidentiality, etc.?

NOTE: Conducting consultation early in the CEQA process allows tribal governments, lead agencies, and project proponents to discuss the level of environmental review, identify and address potential adverse impacts to tribal cultural resources, and reduce the potential for delay and conflict in the environmental review process. (See Public Resources Code Section 21080.3.2.) Information may also be available from the California Native American Heritage Commission's Sacred Lands File per Public Resources Code Section 5097.96 and the California Historical Resources Information System administered by the California Office of Historic Preservation. Please also note that Public Resources Code Section 21082.3(c) contains provisions specific to confidentiality.

The project site is not located in an area designated as highly or moderately sensitive for archeological resources. Pursuant to Assembly Bill (AB) 52, the subject proposal was routed to the Santa Rosa Rancheria Tachi Yokut Tribe, Picayune Rancheria of the Chukchansi Indians, and Dumna Wo Wah Tribal Government offering them an opportunity to consult under Public Resources Code (PRC) Section 21080.3(b) with a 30-day window to formally respond to the County letter. No tribe requested consultation, resulting in no further action on the part of the County. As the property is moderately sensitive to archaeological resources, a Mitigation Measure has been included in the CULTURAL ANALYSIS section of this report. The implementation of this mitigation measure will reduce impact to tribal cultural resources to a less than significant.

ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED:

The environmental factors checked below would be potentially affected by this project, involving at least one impact that is a "Potentially Significant Impact" as indicated by the checklist on the following pages.

- | | |
|---|---|
| <input type="checkbox"/> Aesthetics | <input type="checkbox"/> Agriculture and Forestry Resources |
| <input type="checkbox"/> Air Quality | <input type="checkbox"/> Biological Resources |
| <input type="checkbox"/> Cultural Resources | <input type="checkbox"/> Energy |
| <input type="checkbox"/> Geology/Soils | <input type="checkbox"/> Greenhouse Gas Emissions |
| <input type="checkbox"/> Hazards & Hazardous Materials | <input type="checkbox"/> Hydrology/Water Quality |
| <input type="checkbox"/> Land Use/Planning | <input type="checkbox"/> Mineral Resources |
| <input type="checkbox"/> Noise | <input type="checkbox"/> Population/Housing |
| <input type="checkbox"/> Public Services | <input type="checkbox"/> Recreation |
| <input type="checkbox"/> Transportation | <input type="checkbox"/> Tribal Cultural Resources |
| <input type="checkbox"/> Utilities/Service Systems | <input type="checkbox"/> Wildfire |
| <input type="checkbox"/> Mandatory Findings of Significance | |

DETERMINATION OF REQUIRED ENVIRONMENTAL DOCUMENT:

On the basis of this initial evaluation:

- I find that the proposed project **COULD NOT** have a significant effect on the environment. **A NEGATIVE DECLARATION WILL BE PREPARED.**
- I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because the Mitigation Measures described on the attached sheet have been added to the project. **A MITIGATED NEGATIVE DECLARATION WILL BE PREPARED.**
- I find the proposed project **MAY** have a significant effect on the environment, and an **ENVIRONMENTAL IMPACT REPORT** is required
- I find that as a result of the proposed project, no new effects could occur, or new Mitigation Measures would be required that have not been addressed within the scope of a previous Environmental Impact Report.

PERFORMED BY:



Ejaz Ahmad, Planner

REVIEWED BY:



Marianne Mollring, Senior Planner

Date: 01-10-2020

Date: 1-10-20

EA:
G:\4360Devs&PIn\PROJSEC\PROJDOCS\CUP\3600-3699\3632\IS-CEQA\CUP 3632 IS cklist.doc

**INITIAL STUDY
ENVIRONMENTAL CHECKLIST FORM
(Initial Study Application No. 7568 and
Classified Conditional Use Permit Application No.
3632)**

The following checklist is used to determine if the proposed project could potentially have a significant effect on the environment. Explanations and information regarding each question follow the checklist.

1 = No Impact

2 = Less Than Significant Impact

3 = Less Than Significant Impact with Mitigation Incorporated

4 = Potentially Significant Impact

I. AESTHETICS

Except as provided in Public Resources Code Section 21099, would the project:

- 1 a) Have a substantial adverse effect on a scenic vista?
- 1 b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?
- 2 c) In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from a publicly accessible vantage point.) If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?
- 3 d) Create a new source of substantial light or glare that would adversely affect day or nighttime views in the area?

II. AGRICULTURAL AND FORESTRY RESOURCES

In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Dept. of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment project; and forest carbon measurement methodology in Forest Protocols adopted by the California Air Resources Board. Would the project:

- 1 a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance, as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?
- 1 b) Conflict with existing zoning for agricultural use, or a Williamson Act Contract?
- 2 c) Conflict with existing zoning for forest land, timberland or timberland zoned Timberland Production?
- 2 d) Result in the loss of forest land or conversion of forest land to non-forest use?
- 2 e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland to non-agricultural use or conversion of forest land to non-forest use?

III. AIR QUALITY

Where available, the significance criteria established by the applicable air quality management district or air pollution control district may be relied upon to make the following determinations. Would the project:

- 2 a) Conflict with or obstruct implementation of the applicable Air Quality Plan?
- 3 b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?
- 2 c) Expose sensitive receptors to substantial pollutant concentrations?
- 2 d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?

IV. BIOLOGICAL RESOURCES

Would the project:

- 3 a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?
- 1 b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?
- 3 c) Have a substantial adverse effect on state or federally-protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?
- 3 d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?
- 1 e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?
- 1 f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state Habitat Conservation Plan?

V. CULTURAL RESOURCES

Would the project:

- 3 a) Cause a substantial adverse change in the significance of a historical resource pursuant to Section 15064.5?
- 3 b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to Section 15064.5?
- 3 c) Disturb any human remains, including those interred outside of formal cemeteries?

VI. ENERGY

Would the project:

- 2 a) Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources during project construction or operation?
- 2 b) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?

VII. GEOLOGY AND SOILS

Would the project:

- a) Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:
 - 2 i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault?
 - 2 ii) Strong seismic ground shaking?
 - 2 iii) Seismic-related ground failure, including liquefaction?
 - 1 iv) Landslides?
- 2 b) Result in substantial soil erosion or loss of topsoil?
- 1 c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?
- 2 d) Be located on expansive soil as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?
- 2 e) Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?
- 2 f) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?

VIII. GREENHOUSE GAS EMISSIONS

Would the project:

- 2 a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?
- 2 b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?

IX. HAZARDS AND HAZARDOUS MATERIALS

Would the project:

- 2 a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?
- 2 b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?
- 2 c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?
- 1 d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, create a significant hazard to the public or the environment?
- 1 e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, result in a safety hazard or excessive noise for people residing or working in the project area?
- 1 f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?
- 1 g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?

X. HYDROLOGY AND WATER QUALITY

Would the project:

- 3 a) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or groundwater quality?
- 2 b) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?
- 2 c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would result in substantial erosion or siltation on or off site?
 - 2 i) Result in substantial erosion or siltation on or off site;
 - 2 ii) Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on or off site;
 - 2 iii) Create or contribute runoff water which would exceed the capacity of existing or planned storm water drainage systems or provide substantial additional sources of polluted runoff; or
 - 2 iv) Impede or redirect flood flows?
- 1 d) In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?
- 1 e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?

XI. LAND USE AND PLANNING

Would the project:

- 1 a) Physically divide an established community?
- 2 b) Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?

XII. MINERAL RESOURCES

Would the project:

- 1 a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?
- 1 b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local General Plan, Specific Plan or other land use plan?

XIII. NOISE

Would the project result in:

- 2 a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?
- 2 b) Generation of excessive ground-borne vibration or ground-borne noise levels?
- 1 c) For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, exposing people residing or working in the project area to excessive noise levels?

XIV. POPULATION AND HOUSING

Would the project:

- 1 a) Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and

businesses) or indirectly (for example, through extension of roads or other infrastructure)?

- 1 b) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?

XV. PUBLIC SERVICES

Would the project:

- 2 a) Result in substantial adverse physical impacts associated with the provision of new or physically-altered governmental facilities, or the need for new or physically-altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:
- 2 i) Fire protection?
1 ii) Police protection?
1 iii) Schools?
1 iv) Parks?
1 v) Other public facilities?

XVI. RECREATION

Would the project:

- 1 a) Increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?
- 1 b) Include recreational facilities or require the construction or expansion of recreational facilities, which might have an adverse physical effect on the environment?

XVII. TRANSPORTATION

Would the project:

- 3 a) Conflict with a program, plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?
- 2 b) Would the project conflict or be inconsistent with CEQA Guidelines section 15064.3, subdivision (b)?
- 3 c) Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?
- 1 d) Result in inadequate emergency access?

XVIII. TRIBAL CULTURAL RESOURCES

Would the project:

- 2 a) Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code Section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:
- 2 i) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code Section 5020.1(k), or
- 2 ii) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1? In applying the criteria set

forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe.)

XIX. UTILITIES AND SERVICE SYSTEMS

Would the project:

- 2 a) Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?
- 2 b) Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?
- 2 c) Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?
- 2 d) Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?
- 2 e) Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?

XX. WILDFIRE

If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project:

- 1 a) Substantially impair an adopted emergency response plan or emergency evacuation plan?
- 1 b) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?
- 1 c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?
- 1 d) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?

XXI. MANDATORY FINDINGS OF SIGNIFICANCE

Would the project:

- 2 a) Have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?
- 2 b) Have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects.)
- 1 c) Have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?

Documents Referenced:

This Initial Study is referenced by the documents listed below. These documents are available for public review at the County of Fresno, Department of Public Works and Planning, Development Services and Capital Projects Division, 2220 Tulare Street, Suite A, Fresno, California (corner of M & Tulare Streets).

Fresno County General Plan, Policy Document and Final EIR
Fresno County Zoning Ordinance
Important Farmland 2010 Map, State Department of Conservation
Acoustical Analysis by WJV Associates, Inc., dated March 25, 2019
Air Quality Analysis by VICE, dated Dec. 16, 2019
Aquatic Resource Delineation Report by Argonaut Ecological Consulting, Inc dated Dec. 3, 2019
Biological Resource Evaluation by Colibri Ecological Consulting, LLC, dated April 2019
Cultural Resource Assessment by VICE, dated Nov. 5, 2019
Environmental Site Check Investigation by SIA Investigation, Inc. dated November 29, 2018
Greenhouse Gas Analysis Report by Mitchell Air Quality Consulting, dated May 5, 2019
Traffic Impact Analysis by JLB Traffic, dated September 4, 2019

EA:

G:\4360Devs&Pln\PROJSEC\PROJDOCS\CUP\3600-3699\3632\IS-CEQA\CUP 3632 IS cklist.doc



County of Fresno

DEPARTMENT OF PUBLIC WORKS AND PLANNING
STEVEN E. WHITE, DIRECTOR

EVALUATION OF ENVIRONMENTAL IMPACTS

APPLICANT: Luis Bravo on behalf of Rito Gutierrez

APPLICATION NOS.: Initial Study Application No. 7568 and Classified Conditional Use Permit Application No. 3632

DESCRIPTION: Allow a flea market with related improvements on an approximately 6-acre portion of a 78.18-acre parcel in AE-20 (Exclusive Agricultural, 20-acre minimum parcel size) Zone District.

LOCATION: The project is located on the north side of W. Jayne Avenue approximately 2,556 feet west of its intersection with El Dorado Avenue and 6.4 miles east of the nearest city limits of City of Coalinga (23436 W. Jayne Avenue, Coalinga) (Sup. Dist. 4) (APN 073-090-20S).

I. AESTHETICS

Except as provided in Public Resources Code Section 21099, would the project:

- A. Have a substantial adverse effect on a scenic vista; or
- B. Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?

FINDING: NO IMPACT:

The project site is a grazing land located near the City of Coalinga. Surrounding the site are grazing lands and sparse agricultural fields. Jane Avenue borders the site and is not designated as a scenic highway in the County General Plan. There are no scenic vistas or scenic resources, including trees, rock outcroppings, or historic buildings, on or near the site that will be impacted by the subject proposal. The project will have no impact on scenic resources.

- C. In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage points.) If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?

FINDING: LESS THAN SIGNIFICANT IMPACT:

The project site is surrounded by grazing lands. Most agricultural fields with farming operations are located approximately 1.5 miles to the east and sparse agricultural fields are located to the south and west of the project site.

The proposed improvements related to the project include vendors' stalls, restrooms, music/sitting area, fruit/vegetable stalls under canopy, and parking for vendors and patrons. Except for the restroom building, vendors' stalls and canopies can be removed at the end of business day. The project area is rural in nature. Given the proposed improvements (including restroom building and canopies) are low height and will be set back more than 220 feet from Jayne Avenue (public road), 2,000 feet from the nearest residential development to the east, and 0.8 mile from Coalinga State Hospital to the west, the project's visual impact on the area would be less than significant.

- D. Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?

FINDING: LESS THAN SIGNIFICANT IMPACT WITH MITIGATION INCORPORATED:

Per the Applicant's Operational Statement, outdoor lighting will be used to illuminate the flea market after sunset. To reduce any lighting and glare impact resulting from the project, a Mitigation Measure would require that all outdoor lighting shall be hooded and directed as to not shine toward adjacent properties and public streets.

* **Mitigation Measure**

1. *All outdoor lighting shall be hooded and directed so as not to shine toward adjacent properties and public streets.*

As noted above, there are a sporadic improvements located in the project vicinity at significant distance. As such, any impact resulting from automobile headlights shining on those improvements is expected to be less than significant.

II. AGRICULTURAL AND FORESTRY RESOURCES

In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Department of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment project; and forest carbon measurement methodology in Forest Protocols adopted by the California Air Resources Board. Would the project:

- A. Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance, as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?

FINDING: NO IMPACT:

The project site is classified as Grazing Land on the 2016 Fresno County Important Farmland Map. The site is not an agricultural land. Therefore, no individual or cumulative loss to agricultural land would occur from this proposal.

- B. Conflict with existing zoning for agricultural use, or a Williamson Act Contract?

FINDING: NO IMPACT:

The subject proposal is not in conflict with the existing AE-20 (Exclusive Agricultural, 20-acre minimum parcel size) zoning on the property and is an allowed use on land designated for agriculture with discretionary approval and adherence to the applicable General Plan Policies. The project site is not enrolled in the Williamson Act Program.

- C. Conflict with existing zoning for forest land, timberland or timberland zoned Timberland Production; or
- D. Result in the loss of forest land or conversion of forest land to non-forest use; or
- E. Involve other changes in the existing environment, which, due to their location or nature, could result in conversion of farmland to non-agricultural use or conversion of forestland to non-forest use?

FINDING: LESS THAN SIGNIFICANT IMPACT:

The project site is not forestland or timberland. Zoned AE-20 (Exclusive Agriculture) in the county Ordinance, the site is a grazing land for livestock. The project will be established on a non-agricultural land and will not set a precedent for conversion of active farmland in the area to non-agricultural uses.

This project was routed to the Fresno County Agricultural Commissioner's Office for review and comments. Per the comments provided, a Condition of Approval for the project would require that the Applicant shall acknowledge the Fresno County Right-to-Farm Ordinance regarding the inconveniences and discomfort associated with normal farm activities surrounding the proposed development.

III. AIR QUALITY

Where available, the significance criteria established by the applicable air quality management district or air pollution control district may be relied upon to make the following determinations. Would the project:

A. Conflict with or obstruct implementation of the applicable Air Quality Plan?

FINDING: LESS THAN SIGNIFICANT IMPACT:

The Air Quality Plan (AQP) contains several control measures that are enforceable requirements through the adoption of rules and regulations. The following San Joaquin Valley Air Pollution Control District rules and regulations may apply during buildout of the project, including, but not limited to: Regulation VIII (Fugitive PM₁₀ Prohibitions); Rule 4601 (Architectural Coatings); Rule 4641 (Cutback, Slow Cure, and Emulsified Asphalt, Paving and Maintenance Operations); Rule 4102 (Nuisance); and Rule 9510 (Indirect Source Review).

The project would comply with all applicable Air Resources Board (ARB) and San Joaquin Valley Air Pollution Control District rules and regulations as noted above and would not conflict with or obstruct implementation of the applicable air quality attainment plan as discussed below in Section III. B. The project's emissions (short-term construction and long-term operational emissions) would be less than significant for all criteria pollutants. The project complies with all applicable rules and regulations from the applicable Air Quality Plan (APQ); therefore, the project is not considered inconsistent with the AQP, and the impact would be less than significant.

B. Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?

FINDING: LESS THAN SIGNIFICANT IMPACT WITH MITIGATION INCORPORATED:

The applicant provided an Air Quality Analysis, completed by Vans Inc. Consulting Engineers (VICE), dated December 16, 2019. The Analysis was provided to the San Joaquin Valley Air Pollution Control District (SJVAPCD) along with the project information for review and comments. No concerns were expressed by the District.

The proposed project's construction and operations would contribute the following criteria pollutant emissions: reactive organic gases (ROG), carbon monoxide (CO), nitrogen dioxide (NO₂), and particulate matter (PM₁₀ and PM_{2.5}). The project does not contain sources that would produce substantial quantities of sulfur dioxide (SO₂) emissions during construction and operation. Criteria and Greenhouse Gas (GHG) emissions were estimated using the California Emissions Estimator Model (CalEEMod) version 2016.3.2 [California Air Pollution Control Officers Association (CAPCOA) 2017], which is the most current version of the model approved for use by SJVAPCD.

The San Joaquin Valley Air Pollution Control District's annual emission significance thresholds used for the project define the substantial contribution for both construction and operational emissions as follows: 100 tons per year CO, 10 tons per year NO_x, 10 tons per year ROG, 27 tons per year SO_x, 15 tons per year PM₁₀, and 15 tons per year PM_{2.5}.

Per the Air Quality Analysis, construction emissions associated with the project from each year of construction activities (year 2020 and 2021) will be 0.3959 ton per year CO, 0.06807 ton per year NO_x, 0.1202 ton per year ROG, 0.0859 ton per year PM₁₀, and 0.0537 ton per year PM_{2.5}. Per the results, the project construction emissions would be below the SJVAPCD threshold of significance. In addition to the construction period thresholds of significance, implementation of the following Mitigation Measures would ensure that the proposed project complies with Regulation VIII to further reduce the short-term construction period air quality impacts.

* **Mitigation Measures**

Consistent with San Joaquin Valley Air Pollution Control District Regulation VIII (Fugitive PM₁₀ Prohibitions), the following measures shall be implemented for dust control during grading and construction:

- 1. The area disturbed by clearing, grading, earth moving, or excavation operations shall be minimized to prevent excessive amounts of dust.*
- 2. Pre-grading/excavation activities shall include watering the area to be graded or excavated before commencement of grading or excavating activities. Application of water should penetrate sufficiently to minimize fugitive dust during grading activities.*
- 3. Fugitive dust produced during grading, excavation, and construction activities shall be controlled by the following activities:*
 - a. All trucks shall be required to cover their loads as required by California Vehicle Code Section 23114.*
 - b. All graded and excavated material, exposed soil areas, and active portions of the construction site, including unpaved on-site roadways, shall be treated to prevent fugitive dust.*
 - c. Treatment shall include, but not necessarily be limited to, periodic watering, application of environmentally-safe soil stabilization materials, and/or roll compaction as appropriate. Watering shall be done as often as necessary by using reclaimed water whenever possible.*
- 4. Graded and/or excavated inactive areas of the construction site shall be monitored at least weekly for dust stabilization. Soil stabilization methods shall be periodically applied to portions of the construction site that are inactive for over four days. If no further grading or excavation operations are planned for the area within three weeks, it shall be seeded and watered until grass growth is evident, or periodically treated with environmentally-safe dust suppressants, to prevent excessive fugitive dust.*
- 5. Signs shall be posted on site limiting traffic to 15 miles per hour or less.*

6. *During periods of high winds, all clearing, grading, earth moving, and excavation operations shall be curtailed to the degree necessary to prevent fugitive dust from being an annoyance or hazard, either off site or on site.*
7. *Adjacent streets and roads shall be swept at least once per day, preferably at the end of the day, if visible soil material is carried over to those adjacent streets and roads.*
8. *Personnel involved in grading operations, including contractors and subcontractors, shall wear respiratory protection in accordance with California Division of Occupational Safety and Health regulations.*
9. *Rumble strips/shaker plates/or base rock shall be installed at all truck exits from the site.*
10. *Dust control requirements shall be shown on all grading plans.*
11. *The following shall be implemented during construction to minimize emissions of ozone precursors.*
 - a. *Construction contractors shall minimize equipment idling time throughout construction. Engines shall be turned off if idling would be for more than five minutes.*
 - b. *Equipment engines shall be maintained in good condition and in proper tune as per manufacturers' specifications.*
 - c. *The number of pieces of equipment operating simultaneously shall be minimized.*
 - d. *Construction contractors shall use alternatively-fueled construction equipment (such as compressed natural gas, liquefied natural gas, or electric) when feasible.*
 - e. *The engine size of construction equipment shall be the minimum practical size.*
 - f. *Heavy-duty diesel-powered construction equipment manufactured after 1996 (with federally-mandated clean diesel engines) shall be utilized wherever feasible.*
 - g. *During the smog season (May through October), the construction period should be lengthened*

Operational emissions occur over the lifetime of the project from two main sources: area sources and motor vehicles, or mobile sources. Per the Air Quality Analysis, operational emissions associated with the project will be as follows: 0.7573 ton per year CO, 0.0766 ton per year NO_x, 0.0883 ton per year ROG, 0.1818 ton per year PM₁₀, and

0.0490 ton per year PM_{2.5}. Per the results, the project's operational emissions would be below the SJVAPCD threshold of significance: 100 tons per year CO, 10 tons per year NO_x, 10 tons per year ROG, 27 tons per year SO_x, 15 tons per year PM₁₀, and 15 tons per year PM_{2.5}.

Per the above-discussed regional analysis of construction and operational emissions, the project would not exceed the District's significance thresholds and is consistent with the applicable Air Quality Attainment Plan. Therefore, the project would not result in significant cumulative health impacts.

C. Expose sensitive receptors to substantial pollutant concentrations?

FINDING: LESS THAN SIGNIFICANT IMPACT:

Those who are sensitive to air pollution include children, the elderly, and persons with preexisting respiratory or cardiovascular illness. A sensitive receptor is considered a location that houses or attracts children, the elderly, people with illnesses, or others who are especially sensitive to the effects of air pollutants. This includes hospitals, residences, convalescent facilities, and schools. The closest sensitive receptor, a residential dwelling, is approximately one half-mile east of the project site.

Emissions occurring at or near the project have the potential to create a localized impact, also referred to as an air pollutant hotspot. Localized emissions are considered significant if when combined with background emissions they would result in exceedance of any health-based air quality standard. The criteria pollutants of concern for localized impact in the San Joaquin Valley Air Basin (SJVAB) are PM₁₀, PM_{2.5}, NO₂, and CO.

Per the Air Quality Analysis Maximum Daily Air Pollutant Emissions, the screening threshold is 100 for NO_x, CO, PM₁₀ and PM_{2.5}. An analysis of maximum daily pollutant emissions during construction and operation was conducted to determine if emissions would exceed 100 pounds per day for any pollutant of concern. Per the Analysis, the maximum daily emission during construction would be as follows: 28.85 NO_x, 22.337 CO, 6.9921 PM₁₀ and 4.3719 PM_{2.5}, and the maximum daily emission during operation would be 0.4610 NO_x, 4.6773 CO, 1.0262 PM₁₀ and 0.2761 PM_{2.5}. Given the results, the project emissions would not exceed the significance thresholds, and therefore, the project's air quality impacts are less than significant.

Per the Air Quality Analysis, the project emissions may be considered significant if a Carbon Monoxide Hotspot Analysis determines that the project-generated emissions cause a localized violation of the state CO one-hour standard of 20 ppm, the state CO 8-hour standard of 9.0 ppm, the federal CO one-hour standard of 35 ppm, or the federal CO 8-hour standard of 9 ppm. Increased CO concentrations usually are associated with roadways that are congested and with heavy traffic volume. Per SJVAPCD, a project can be said to have no potential to create a violation of the CO standard if the Level of Service (LOS) on one or more streets or intersections in the project vicinity will not be reduced to LOS E or F; or the project will not substantially worsen an already existing LOS F on one or more streets or intersections in the project vicinity.

The construction of the project would result in minor increases in traffic for the surrounding road network during the duration of construction. Motor vehicles accessing the site when it becomes operational would result in a minor increase in daily trips that would not substantially reduce the LOS. Also, local roadways are not identified as operating at unacceptable conditions under existing and future buildout conditions.

Furthermore, the highest background 8-hour average of carbon monoxide is 1.61 ppm (parts per million), which is 82 percent lower than the state ambient air quality standard of 9.0 ppm. Therefore, the project would not significantly contribute to an exceedance of state or federal CO standards. As such, less than significant health risk would occur from project-related emissions.

- D. Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?

FINDING: LESS THAN SIGNIFICANT IMPACT:

Odor impacts on residential areas and other sensitive receptors, such as hospitals, day-care centers, schools, etc. warrant the closest scrutiny. Potential for odor impact occurs when a new odor source is located near an existing sensitive receptor or when a new sensitive receptor locates near an existing source of odor.

Per the Air Quality Analysis, the project site is not located within San Joaquin Valley Air Pollution Control District identified screening distances (one to two miles) of any odor-generating facilities. The project involves no industrial, agricultural or other uses typically associated with objectionable odors. As such, the project would generate no objectionable odors to affect people in the area.

Construction activities may generate temporary airborne odors during the operation of diesel-powered construction vehicles and the application of architectural coatings. However, these odors are generally not considered offensive. Emissions would be temporary and confined to the immediate vicinity of the construction site with the application of emission reduction strategies that are specifically designed to reduce nuisance air quality and odor emissions. Any odor impacts would be less than significant.

IV. BIOLOGICAL RESOURCES

Would the project:

- A. Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?

FINDING: LESS THAN SIGNIFICANT WITH MITIGATION INCORPORATED:

The project was routed to the California Department of Fish and Wildlife (CDFW) and the U.S. Fish and Wildlife Service (USFWS) for review and comments. According to CDFW, a review of aerial imagery and documented species occurrence records in the California Natural Diversity Database (CNDDDB) indicates that the project site has the potential to support a number of special-status species. This includes impact to the State fully-protected and State and federally endangered blunt-nosed leopard lizard and San Joaquin kit fox; the State threatened San Joaquin antelope squirrel and Swainson's hawk; the State and federally endangered giant kangaroo rat and State species of special concern short-nosed kangaroo rat; a number of special-status and rare plants, including the State and federally endangered California jewel flower and the federally endangered San Joaquin woolly threads; State species of special concern: burrowing owl, loggerhead shrike, LeConte's thrasher, American badger, San Joaquin coachwhip, western spadefoot, California legless lizard, California glossy snake, and coast horned lizard. In order to adequately assess any potential project-related impacts to biological resources, CDFW required that surveys shall be conducted by a qualified wildlife biologist/botanist during the appropriate survey period(s) and using the appropriate protocol survey methodology in order to determine whether any special-status species are present at or near the project area. The project will be subject to the following Mitigation Measures as recommended by the CDFW:

* **Mitigation Measures**

- 1. A qualified biologist shall conduct a habitat assessment in advance of project implementation to determine if the project area or its immediate vicinity contains suitable habitat for San Joaquin kit fox (SJKF), assess presence/absence of SJKF by conducting surveys following the USFWS "Standardized recommendations for protection of SJKF prior to or during ground disturbance" (2011), and upon SJKF detection, consult with CDFW to discuss how to avoid take, or if avoidance is not feasible, acquire an Incidental Take Permit (ITP) prior to the project activities, pursuant to Fish and Game Code Section 2081 (b).*
- 2. A qualified biologist shall conduct a habitat assessment in advance of project implementation to determine if the Project area or its immediate vicinity contains suitable habitat for Blunt-nosed leopard lizard (BNLL). If suitable habitat is present, prior to initiating any project activities, conduct surveys in accordance with the "Approved Survey Methodology for the Blunt-nosed Leopard lizard" (CDFG 2004). Complete BNLL surveys no more than one year prior to initiation of ground disturbance. Protocol-level surveys must be conducted on multiple dates during late spring, summer, and fall, and that within these time periods there are specific protocol-level date, temperature, and time parameters which must be adhered to. If BNLL is detected during protocol level surveys, CDFW shall be consulted to discuss how to implement project activities and avoid take.*
- 3. A qualified biologist shall conduct a habitat assessment in advance of project implementation to determine if the project area or its immediate vicinity contains suitable habitat for San Joaquin Antelope Squirrel (SJAS). In areas of suitable habitat, a qualified biologist shall conduct focused daytime visual surveys for SJAS using line transects with 10- to 30-meter spacing. These surveys shall be*

conducted between April 1 and September 20 during daytime temperatures between 68-86° F (CDFG 1990). If suitable habitat is present and surveys or trapping are not feasible, a 50-foot-minimum no-disturbance buffer shall be maintained around all small mammal burrows of suitable size for SJAS. If SJAS is detected, CDFW shall be consulted to discuss how to avoid take, or if avoidance is not feasible, to acquire an Incidental Take Permit (ITP) prior to ground-disturbing activities, pursuant to Fish and Game Code Section 2081 (b).

- 4. A qualified wildlife biologist shall conduct surveys for nesting raptors following the survey methodology developed by the Swainson hawk (SWHA) Technical Advisory Committee (SWHA TAC 2000) prior to project initiation and that these surveys extend to a one half-mile radius surrounding the project area. If project activities take place during the normal bird breeding season (February 1 through September 15), additional pre-construction surveys for active nests are to be conducted by a qualified biologist no more than 10 days prior to the start of construction. If an active SWHA nest is found, a minimum one half-mile no-disturbance buffer shall be provided until the breeding season has ended or until a qualified biologist has determined that the birds have fledged and are no longer reliant upon the nest or parental care for survival. If SWHA are detected and the one half-mile no-disturbance nest buffer is not feasible, the California Department of Fish and Wildlife shall be consulted to determine if the project can avoid take. If SWHA cannot be avoided, an ITP prior to vegetation or ground-disturbing activities is necessary to comply with the California Endangered Species Act.*
- 5. A qualified biologist shall conduct a habitat assessment in advance of Project implementation to determine if the project area or its immediate vicinity contains suitable habitat for Giant Kangaroo Rat (GKR) and Short-nosed Kangaroo Rat (SNKR). If suitable habitat is present, a trapping plan for determining presence of GKR and SNKR shall be submitted to and approved by CDFW prior to subsequent trapping efforts. These surveys shall be conducted by a qualified biologist who holds a Memorandum of Understanding with CDFW for GKR and SNKR, and be conducted between April 1 and October 31, when kangaroo rats are most active. If suitable habitat is present and trapping is not feasible, a 50-foot-minimum no-disturbance buffer shall be conducted around all small mammal burrows. If GKR or SNKR are found within the project area during preconstruction surveys or construction activities, CDFW shall be consulted to discuss how to implement the project and avoid take; or if avoidance is not feasible, to acquire an Incidental Take Permit for GKR prior to any ground-disturbing activities, pursuant Fish and Game Code Section 2081(b).*
- 6. The project site shall be surveyed for special-status plants by a qualified botanist following the "Protocols for Surveying and Evaluating Impacts to Special Status Native Plant Populations and Sensitive Natural Communities" (CDFW 2018). In the absence of protocol-level surveys being performed, additional surveys may be necessary. The special-status plant species shall be avoided whenever possible by delineation and observing a no-disturbance buffer of at least 50 feet from the outer edge of the plant population(s) or specific habitat type(s) required by special-status plant species. If buffers cannot be maintained,*

then the California Department of Fish and Wildlife (CDFW) shall be consulted to determine appropriate minimization and Mitigation Measures for impacts to special-status plant species. If a California Endangered Species Act (CESA)-listed plant species is identified during botanical surveys, CDFW shall be consulted to determine if the project can avoid take. If take cannot be avoided, take authorization may be warranted. Take authorization would occur through issuance of an Incidental Take Permit by CDFW, pursuant to Fish and Game Code Section 2081(b).

- 7. A qualified biologist shall conduct a habitat assessment in advance of project implementation to determine if the project area or its vicinity contains suitable habitat for Burrowing Owl (BUOW). If suitable habitat is present on or in the vicinity of the project area, a qualified biologist shall conduct surveys following the California Burrowing Owl Consortium's (CBOC) "Burrowing Owl Survey Protocol and Mitigation Guidelines" (CBOC 1993) and CDFW's "Staff Report on Burrowing Owl Mitigation" (CDFG 2012). Three or more surveillance surveys shall be conducted during daylight with each visit occurring at least three weeks apart during the peak breeding season (April 15 to July 15), when BUOW are most detectable. In addition, the surveys shall include a 500-foot buffer around the Project area. No-disturbance buffers, as outlined in the "Staff Report on Burrowing Owl Mitigation" (CDFG 2012) shall be implemented prior to and during any ground-disturbing activities. Specifically, any impacts to occupied burrows shall be avoided in accordance with the following table unless a qualified biologist approved by the California Department of Fish and Wildlife verifies through non-invasive methods that either: 1) the birds have not begun egg laying and incubation; or 2) that juveniles from the occupied burrows are foraging independently and are capable of independent survival.*
- 8. If Burrowing Owl (BUOW) are found within these recommended buffers and avoidance is not possible, burrow exclusion shall be conducted according to the Staff Report (CDFG 2012) by qualified biologists and only during the non-breeding season, before breeding behavior is exhibited and after the burrow is confirmed empty through non-invasive methods, such as surveillance. Also, occupied burrows shall be replaced with artificial burrows at a ratio of one burrow collapsed to one artificial burrow constructed (1:1) as mitigation for the potentially-significant impact of evicting BUOW.*
- 9. A qualified biologist shall conduct a habitat assessment in advance of project implementation to determine if the project area or its immediate vicinity contain suitable habitat for Loggerhead shrike, LeConte's thrasher, American badger, San Joaquin coachwhip, western spadefoot, California legless lizard, California glossy snake, coast horned lizard, and American badger. If suitable habitat is present, a qualified biologist shall conduct focused surveys for applicable species and their requisite habitat features to evaluate potential impacts resulting from ground and vegetation disturbance. Avoidance whenever possible is encouraged via delineation and observance a 50-foot no-disturbance buffer around dens of mammals like the American badger, as well as burrows which*

can provide refuge for small mammals, reptiles, and amphibians, and 100 feet around nests of special-status bird species.

10. In addition to consultation with the California Department of Fish and Wildlife's (CDFW) Regional California Endangered Species Act staff, CDFW's Regional Ecological Reserve Management Unit staff shall also be consulted in advance of project initiation to demonstrate accurate delineation of property boundaries to prevent encroachment on CDFW-owned lands. Consultation is also recommended to discuss planned ingress and egress to the project area for the purposes of preventing encroachment on CDFW-owned lands. John Battistoni, Regional Ecological Reserve Management Unit Supervisor, shall be contacted via email at John.Battistoni@wildlife.ca.gov or via telephone at 559-243-4014 extension 219.

According to the U.S. Fish and Wildlife Service (USFWS), the proposed project is located within the range of the federally endangered San Joaquin kit fox and blunt-nosed leopard lizard. Both species have been documented in the California Natural Diversity Database within five miles of the proposed project site. In addition, the project is located within a kit fox recovery area, which has been identified as historically and/or currently occupied by the Pleasant Valley satellite kit fox population. Given that kit fox and lizard species are known to occur in the area, USFWS recommended that a habitat assessment of the proposed project site be conducted by a qualified biologist to determine whether the site contains suitable habitat for these or any other listed species.

A Biological Habitat Assessment (Report) prepared by Colibri Ecological Consulting, LLC, dated April 2019 was provided to the California Department of Fish and Wildlife (CDFW) and the U.S. Fish and Wildlife Service (USFWS) for review and comments. No comments on the Report were provided by CDFW. USFWS concurred with the Report's findings and Mitigation Measures and offered no further comments.

According to the Biological Habitat Assessment (Report), a field reconnaissance survey of the property was conducted on April 1, 2019. To evaluate and document the potential for the project site to support federally or state protected resources, the site was walked and thoroughly inspected, a surrounding 50-foot buffer was inspected with 10x42 binoculars, and a 0.5-mile buffer was evaluated for its potential to support nesting special-status raptors. All plants on the project site and all animals (vertebrate wildlife species) observed in the survey area were identified and documented. The project site and surrounding 50-foot buffer were evaluated for the presence of regulated habitats, including lakes, streams, and other waters using methods described in the *Wetlands Delineation Manual* and regional supplement (USACE 1987, 2008) and as defined by CDFW.

The survey revealed that the project site consists of dense, nonnative annual grassland dominated by red brome, gravel roads, and disturbed areas remnant of past oil and gas mining activities. Three abandoned oil pipes could serve as potential dens for San Joaquin kit fox, and a kit fox was observed immediately west of the site on the Pleasant Valley Ecological Reserve. Although most of the site aside from gravel roads and

disturbed areas was covered in dense grass, the site included several small patches of bare ground. These patches supported kangaroo rat burrows. Although kangaroo rat burrows were especially evident in bare patches, burrows were distributed at a moderate density across the entire project site. An unnamed ephemeral blueline drainage is at the far northwest corner of the site.

Per the Biological Habitat Assessment (Report), USFWS provided a list of nine endangered or candidate species under the Federal Endangered Species Act (FESA) to consider in the project analysis, namely: endangered San Joaquin woollythreads, the threatened vernal pool fairy shrimp, the threatened Delta smelt, the threatened California red-legged frog, the threatened California tiger salamander, the endangered blunt-nosed leopard lizard, the threatened giant garter snake, the endangered giant kangaroo rat, and the endangered San Joaquin kit fox. The Report notes that searching the California Natural Diversity Database (CNDDDB) for records of special-status species, 15 species were found to exist within five miles of the project site, and likewise, searching the California Native Plant Society (CNPS) inventory of rare and endangered plants produced records of 30 species, 15 of which are rare, threatened, or endangered in California.

Per the Biological Resource Evaluation (Report), the project will result in permanent and temporary impacts to saltbush scrub and nonnative annual grassland habitats causing loss of natural land as a habitat for San Joaquin kit fox, San Joaquin antelope squirrel, short-nosed kangaroo rat, and other special-status species, and requires that the project shall adhere to the following Mitigation Measures in order to reduce impact to special-status species to less than significant levels.

* **Mitigation Measures**

To mitigate impact to natural lands, the project proponent shall do the following

- 1. To mitigate for permanent impacts to natural lands by permanently conserving similar vegetation communities (grassland, saltbush scrub) that provide habitat for San Joaquin kit fox, San Joaquin antelope squirrel, and short-nosed kangaroo rat, provide one-acre of mitigation land for each acre of development authorized.*
- 2. Permanently protect mitigation land through a conservation easement deeded to a nonprofit conservation organization or public agency with a conservation mission.*
- 3. Develop and implement a mitigation land management plan to address long-term ecological sustainability and maintenance of the site.*
- 4. Fund the maintenance and management of mitigation land by establishing a long-term funding mechanism such as an endowment.*
- 5. Mitigation lands shall be on, adjacent to, or near the Project site where possible.*
- 6. Where there is insufficient habitat on, adjacent to, or near Project site, acquire*

mitigation lands with habitat for San Joaquin kit fox, San Joaquin antelope squirrel and short-nosed kangaroo rat away from the Project site.

- 7. Alternatively, if the project site is within the service area of a California Department of Fish and Wildlife-approved conservation bank, purchase available conservation bank credits from that bank.*

Per the Biological Habitat Assessment (Report), construction activities such as excavating, trenching, grading, or other ground-disturbing activities that could disturb or harm a special-status species or substantially modify its habitat could constitute a significant impact and requires that the project shall adhere to the following Mitigation Measures in order to reduce impact to special-status species to less than significant levels.

* **Mitigation Measures**

- 1. To protect brittlescale, crownscale, San Joaquin woollythreads, and recurved larkspur, a qualified biologist shall survey the project site during the flowering period (February - May for San Joaquin woollythreads and recurved larkspur; June - October for brittlescale; March - October for crownscale) for these species following the Protocols for Surveying and Evaluating Impacts to Special Status Plant Populations and Sensitive Natural Communities [California Department of Fish and Wildlife (CDFW) 2018b]. If any of these species is present, the qualified biologist shall stake and flag no-disturbance exclusion zones of 100 feet around these plants prior to construction activities. These exclusion zones shall remain in place throughout construction activities. If these exclusion zones cannot be maintained, the project proponent shall consult with CDFW to determine appropriate measures to implement to minimize or mitigate impacts to special-status plants.*
- 2. To protect San Joaquin coachwhip and California glossy snake, a qualified biologist shall conduct pre-construction surveys where suitable habitat is identified within proposed work areas immediately prior to ground-disturbing activities. If either species is found, work shall not begin until the animal has moved out of the work area on its own. During construction, a qualified biologist shall inspect open trenches, pits, and construction equipment and materials left on site for snakes each morning prior to the start of work and at the end of each workday.*
- 3. To protect blunt-nosed leopard lizard, a qualified biologist shall establish no-disturbance exclusion zones of 50 feet around all occupied or potentially-occupied burrows. A qualified biologist shall inspect open trenches for blunt-nosed leopard lizards each day prior to the start of work and at the end of each workday. If a blunt-nosed leopard lizard is found, all construction activities shall halt until it has moved out of the work area on its own. If ground-disturbing activities cannot avoid burrows, surveys following the methods described in Approved Survey Methodology for the Blunt-nosed Leopard Lizard (CDFG 2004) shall be conducted within one year of ground-disturbing activities*

to determine whether the species is present or absent. The results of these surveys shall be submitted to the California Department of Fish and Wildlife (CDFW). If a blunt-nosed leopard lizard is found at any time in the Project area, the project proponent shall consult with CDFW to discuss how to implement the Project to avoid take.

- 4. To protect Loggerhead shrike, construction shall be scheduled to avoid the nesting season, which extends from February through August. If it is not possible to schedule construction between September and January, preconstruction surveys for nesting birds shall be conducted by a qualified biologist to ensure that no active nests will be disturbed during Project implementation. A pre-construction survey shall be conducted no more than 14 days prior to the initiation of construction activities. During this survey, the qualified biologist shall inspect all potential nest substrates in and immediately adjacent to the impact areas for nests. If an active nest is found close enough to the construction area to be disturbed by these activities, the qualified biologist shall determine the extent of a construction-free buffer to be established around the nest. If work cannot proceed without disturbing the nesting birds, work may need to be halted or redirected to other areas until nesting and fledging are completed, or the nest has otherwise failed for non-construction-related reasons.*
- 5. To protect San Joaquin antelope squirrel, a qualified biologist shall conduct pre-construction surveys for the species (Harris and Stearns 1991). If the species is detected near active work areas, the qualified biologist shall establish an exclusion zone of 50 feet around occupied or potentially-occupied burrows. If work must take place in the exclusion zone, the project proponent must consult with the California Department of Fish and Wildlife to determine if take can be avoided. If take cannot be avoided, an Incidental Take Permit pursuant to California Fish and Game Code Section 2081 must be obtained to comply with the California Endangered Species Act.*
- 6. To protect short-nosed kangaroo rat, a qualified biologist shall flag occupied or potentially-occupied burrows and establish 50-foot exclusion zones for avoidance. If these exclusion zones cannot be maintained, the project proponent shall consult with the California Department of Fish and Wildlife (CDFW) to determine appropriate measures to implement to minimize or mitigate impacts to short-nosed kangaroo rat.*
- 7. To protect American badger, a qualified biologist shall conduct a preconstruction survey for the species. If American badger or American badger activity (e.g., dens, diggings) are detected, the qualified biologist shall establish no-disturbance exclusion zones of 50 feet between active dens and the work area. If these exclusion zones cannot be maintained, the project proponent shall consult with the California Department of Fish and Wildlife to determine appropriate measures to implement to minimize or mitigate impacts to American badger.*

8. *To protect San Joaquin kit fox, a qualified biologist shall conduct a preconstruction survey to identify potential dens, including potential atypical dens (i.e., manmade structures), in the Project area. If potential San Joaquin kit fox dens are present, their disturbance and destruction shall be avoided. If potential dens are located within the proposed work area and cannot be avoided during construction, a qualified biologist shall determine if the dens are occupied following the U.S. Fish and Wildlife Service Standardized Recommendations for Protection of the Endangered San Joaquin Kit Fox Prior or During Ground Disturbance (USFWS 2011). If unoccupied, the qualified biologist will remove these dens by hand, excavating them in accordance with USFWS procedures (USFWS 2011). When occupied or potentially-occupied San Joaquin kit fox dens are adjacent to the work area, exclusion zones shall be implemented following USFWS procedures. Exclusion zones shall be determined based on the type of den and current use: Potential Den: 50 feet; Known Den: 100 feet; Natal or Pupping Den: to be determined on a case-by case basis in coordination with USFWS and CDFW. All pipes greater than 4 inches in diameter stored on the construction site shall be capped, and exit ramps shall be installed in trenches and other excavations to avoid direct mortality. When possible, construction shall be conducted from October 1 to November 30, outside of the breeding season. If occupied dens cannot be avoided, the project proponent shall consult with the U.S. Fish and Wildlife Service and California Department of Fish and Wildlife to determine whether Incidental Take Permits may be needed to comply with the Federal Endangered Species Act and California Endangered Species Act.*

B. Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?

FINDING: NO IMPACT:

Per the Biological Resource Evaluation, no riparian habitat or other sensitive natural community is present in the project site. No impact would occur.

C. Have a substantial adverse effect on state or federally-protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?

FINDING: LESS THAN SIGNIFICANT IMPACT WITH MITIGATION
INCORPORATED:

An Aquatic Resource Delineation Report (Report) prepared for the project by Argonaut Ecological Consulting, Inc., dated December 3, 2019 was provided to the Army Corps of Engineers and California Department of Fish and Wildlife for review and comments. No comments on the Report were provided by either agency.

According to the Report, there is a total of 0.99 acre of potential waters/wetlands (ephemeral stream) within the outermost northwesterly corner of the subject 78.18-acre

project site. An approximately six-acre portion of the project site to be occupied by the proposed flea market is located 4,770 feet (0.9 mile) southeast of the 0.99 acre of potential waters/wetlands. Given the distance, the project is not expected to any have adverse effect on federally-protected wetlands as defined by Section 404 of the Clean Water Act. To further ensure that the wetland area is protected from the project-related activities, the project will adhere to the following Mitigation Measure:

* **Mitigation Measure**

1. *The project proponent shall ensure that all activities related to the flea market operation remain within the limits of the project boundaries as shown on the approved Site Plan, and must not encroach upon the 0.99 acre of potential waters/wetlands located within the outermost northwesterly corner of the project site as identified by Aquatic Resource Delineation Report prepared by Argonaut Ecological Consulting, Inc., and dated December 3, 2019.*

- D. Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?

FINDING: LESS THAN SIGNIFICANT IMPACT WITH MITIGATION
INCORPORATED:

Per the Biological Resource Evaluation (Report), the project could impede the use of nursery sites for native birds protected under the Migratory Bird Treaty Act and California Fish and Game Code. Construction activities such as excavating, trenching, and grading that disturb a nesting bird on the site or immediately adjacent to the construction zone could constitute a significant impact. Therefore, the project shall adhere to the following Mitigation Measures in order to reduce impact to nesting birds to less than significant levels.

* **Mitigation Measures**

1. *To the extent practicable, construction shall be scheduled to avoid the nesting season, which extends from February through August.*
2. *If it is not possible to schedule construction between September and January, pre-construction surveys for nesting birds shall be conducted by a qualified biologist to ensure that no active nests will be disturbed during project implementation. A pre-construction survey shall be conducted no more than 14 days prior to the initiation of construction activities. During this survey, the qualified biologist shall inspect all potential nest substrates in and immediately adjacent to the impact areas for nests. If an active nest is found close enough to the construction area to be disturbed by these activities, the qualified biologist shall determine the extent of a construction-free buffer to be established around the nest. If work cannot proceed without disturbing the nesting birds, work may need to be halted or redirected to other*

areas until nesting and fledging are completed or the nest has otherwise failed for non-construction-related reasons.

- E. Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?

FINDING: NO IMPACT:

The project site is a grazing land and contains no trees that may require removal due to the project development. The project is not in conflict with the County's tree preservation policies for oak trees.

- F. Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state Habitat Conservation Plan?

FINDING: NO IMPACT:

The project site is within PG&E's San Joaquin Valley Operations and Maintenance (O&M) Habitat Conservation Plans (HCP). The proposed development will not be against HCP which is applicable to PG&E projects only.

V. CULTURAL RESOURCES

Would the project:

- A. Cause a substantial adverse change in the significance of a historical resource pursuant to Section 15064.5; or
- B. Cause a substantial adverse change in the significance of an archaeological resource pursuant to Section 15064.5; or
- C. Disturb any human remains, including those interred outside of formal cemeteries?

FINDING: LESS THAN SIGNIFICANT IMPACT WITH MITIGATION
INCORPORATED:

The project site is in an area moderately sensitive to archeological resources. The Southern San Joaquin Valley Information (SSJVIC) of the California Historical Resources Information Center (CHRIS) stated that the project area has not been surveyed, and due to its archeological sensitivity, prehistoric or historical cultural resources may be present on the project site. As such, an archaeological survey should be conducted by a professional archaeologist. Per this recommendation, a Cultural Resource Assessment (Study) was prepared for the project by Peak & Associates, Inc., dated November 5, 2019, and a copy was provided to SSJVIC.

According to the Cultural Resources Assessment (Study) prepared by Vang Inc. Consulting Engineers, a field survey of the project site conducted by an archeologist on

October 14 and 15, 2019 found no prehistoric sites. However, given the area is archeologically sensitive, and that there is a slight possibility that a site may exist and be totally obscured by vegetation, fill, or other historic activities, leaving no surface evidence, the Study recommended that should artifacts or unusual amounts of stone, bone, or shell be uncovered during construction activities, an archeologist should be consulted for on-the-spot evaluation of the finding. If the Sheriff-Coroner determines that the bone is human and is most likely Native American in origin, the Native American Heritage Commission must be contacted. Implementation of the following Mitigation Measure would reduce the potential impacts on cultural resources to less than significant levels.

* **Mitigation Measure**

1. *In the event that cultural resources are unearthed during ground-disturbing activities, all work shall be halted in the area of the find. An Archeologist shall be called to evaluate the findings and make any necessary mitigation recommendations. If human remains are unearthed during ground-disturbing activities, no further disturbance is to occur until the Fresno County Sheriff-Coroner has made the necessary findings as to origin and disposition. All normal evidence procedures should be followed by photos, reports, video, etc. If such remains are determined to be Native American, the Sheriff-Coroner must notify the Native American Commission within 24 hours.*

A cultural resources records search conducted at Native American Heritage Commission turned out to be negative.

VI. ENERGY

Would the project:

- A. Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources during project construction or operation?

FINDING: LESS THAN SIGNIFICANT IMPACT:

The project would result in less than significant consumption of energy (gas, electricity, gasoline, and diesel) during its construction. Limited construction activities involving a new restroom facility and canopies and corresponding fuel energy consumption would be temporary and localized. There are no unusual project characteristics that would cause the use of construction equipment to be less energy efficient compared with other similar construction sites in other parts of the State. Therefore, construction-related fuel consumption by the Project would not result in inefficient, wasteful, or unnecessary energy use compared with other construction sites in the area.

The project will be subject to meeting California Green Building Standards Code (CCR, Title 24, Part 11-CALGreen) to achieve the goals of Assembly Bill (AB) 32, which has established a comprehensive program of cost-effective reductions of greenhouse gases (GHG) to 1990 levels by 2020.

B. Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?

FINDING: NO IMPACT:

The project development would not conflict with or obstruct a state or local plan for renewable energy or energy efficiency.

The project involves limited construction activities relating to a new restroom facility, vendors and under-canopy areas, and onsite parking. Where applicable, all construction activities would comply with the 2019 Building Energy Efficiency Standards effective January 1, 2020. Pursuant to the California Building Standards Code and the Energy Efficiency Standards, the County would review the design components of the project's energy conservation measures when the project's building plans are submitted.

VII. GEOLOGY AND SOILS

Would the project:

A. Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:

1. Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault?
2. Strong seismic ground shaking?
3. Seismic-related ground failure, including liquefaction?

FINDING: LESS THAN SIGNIFICANT IMPACT:

Per Figure 9-5 of the Fresno County General Plan Background Report, the project site is in an area which has 10 percent probability of seismic hazard in 50 years with peak horizontal ground acceleration of 40 to 60 percent. The project development would be subject to building standards, which include specific regulations to protect improvements against damage caused by earthquake and/or ground acceleration.

4. Landslides?

FINDING: NO IMPACT:

Per Figure 9-6 of the Fresno County General Plan Background Report, the project site is not located in an area of landslide hazards. The project site is flat with no topographical variations, which precludes the possibility of landslides.

B. Result in substantial soil erosion or loss of topsoil?

FINDING: LESS THAN SIGNIFICANT IMPACT:

Per Figure 7-3 of the Fresno County General Plan Background Report, the project site is not in an area of erosion hazards. Grading activities resulting from this proposal may result in loss of some topsoil due to compaction and overcovering of soil for construction of building/structure for the project. However, the impact would be less than significant with a Project Note requiring that Engineered Grading Plans shall be approved, and a Grading Permit shall be obtained from the Development Engineering Section of the Development Services and Capital Projects Division prior to onsite grading activities.

- C. Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?

FINDING: NO IMPACT:

As noted above, the project site is flat with no topographical variations. The site bears no potential for on or offsite landslide, lateral spreading, subsidence, liquefaction, or collapse due to the project-related improvements. As a standard requirement, a soil compaction report may be required to ensure the weight-bearing capacity of the soils for a building prior to construction permits being issued.

- D. Be located on expansive soil as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?

FINDING: LESS THAN SIGNIFICANT IMPACT:

Per Figure 7-1 of the 2000 Fresno County General Plan Background Report, the project site is not in an area of expansive soils. However, the project construction will implement all applicable requirements of the most recent California Building Standards Code and will consider hazards associated with shrinking and swelling of expansive soils.

- E. Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?

FINDING: LESS THAN SIGNIFICANT IMPACT:

No community sanitary sewer is currently available to the project site. An individual sewage disposal system will be installed for the proposed restroom facility on the property.

According to the Fresno County Department of Public Health, Environmental Health Division (Health Department) review of the proposal, the project site is adequate in size to accommodate the sewage disposal system and expansion area, meeting the mandatory setbacks and policy requirements as established with the implementation of

the Fresno County Tier 2 Local Area Management Plan (LAMP), onsite wastewater treatment system (OWTS) policy and California Plumbing Code. A Project Note would require that the onsite sewage disposal system shall be installed under permit and inspection by the Department of Public Works and Planning, Building and Safety Section.

- F. Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?

FINDING: LESS THAN SIGNIFICANT IMPACT:

See discussion above in Section V. CULTURAL RESOURCES.

VIII. GREENHOUSE GAS EMISSIONS

Would the project:

- A. Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?

FINDING: LESS THAN SIGNIFICANT IMPACT:

Human activities, including fossil fuel combustion and land-use changes, release carbon dioxide (CO₂) and other compounds cumulatively termed greenhouse gases (GHGs). GHGs are effective at trapping radiation that would otherwise escape the atmosphere. The San Joaquin Valley Air Pollution Control District (SJVAPCD), a California Environmental Quality Act (CEQA) Trustee Agency for this project, has developed thresholds to determine significance of a proposed project – either implement Best Performance Standards or achieve a 29 percent reduction from Business as Usual (BAU) (a specific numerical threshold). On December 17, 2009, SJVAPCD adopted *Guidance for Valley Land-Use Agencies in Addressing GHG Emission Impacts for New Projects under CEQA* (SJVAPCD 2009), which outlined SJVAPCD’s methodology for assessing a project’s significance for GHGs under CEQA.

Construction and operational activities associated with the proposed project would generate greenhouse gas (GHG) emissions. In the Greenhouse Gas Analysis Report, completed by Mitchell Air Quality Consulting and dated May 5, 2019, GHG emissions were estimated using the California Emissions Estimator Model (CalEEMod) version 2016.3.2 [California Air Pollution Control Officers Association (CAPCOA) 2017], which is the most current version of the model approved for use by SJVAPCD.

Per the Greenhouse Gas Analysis Report, the San Joaquin Valley Air Pollution Control District does not have an adopted threshold of significance for construction-related GHG emissions. Construction of the proposed project would generate approximately 74.57 metric tons of CO_{2e} per year. Because construction emissions may remain in the

atmosphere for years after construction is complete, construction emission when amortized for the project over 30 years would be 2.48 metric tons CO_{2e} per year.

Regarding operation-related GHG Emissions, long-term GHG emissions occur over the life of the project and are typically generated from motor vehicles and trucks, energy usage, waste generation, and area sources, such as consumer products and landscaping activities. The Greenhouse Gas Analysis Report indicates that the project would achieve a reduction of 21.7 percent from Business-As-Usual (BAU) by the year 2020 with regulations and design features incorporated. The project has no structures subject to energy efficiency regulations, operates only three days per week and produces relatively small amounts of GHG emissions compared to typical retail projects. Therefore, the project's operational emissions would be less than significant.

The 2017 Scoping Plan provides the State's strategy to achieve the SB 32 2030 target of a 40-percent reduction in emissions compared to 1990 levels. The Plan includes the existing and new measures that when implemented are expected to achieve the SB32 2030 target. Since the project would continue operations after 2020, the Greenhouse Gas Analysis Report estimates that the project would reduce emissions by 45.3 percent below BAU by 2030. Based on this result and the strong likelihood that the measures included in the 2017 Scoping Plan Update will be implemented, it is reasonable to conclude that the project is consistent with the 2017 Scoping Plan and will contribute a reasonable fair-share contribution (includes: Title 24 and CALGreen, regulations on energy production, fuels, and motor vehicles; voluntary actions to improve energy efficiency in existing development, and compliance with the vehicle miles traveled) to achieving the 2030 target.

- B. Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?

FINDING: LESS THAN SIGNIFICANT IMPACT:

The project will be subject to regulations developed under the 2008 Air Resources Board- adopted AB (Assembly Bill) 32 Scoping Plan, which focuses on reducing GHGs (CO₂, methane, nitrous oxide, hydrofluorocarbons, perfluorocarbons, and sulfur hexafluoride) to 1990 levels by the year 2030. The Scoping Plan calls for reduction in California's GHG emissions, cutting approximately 30 percent (currently 21.7 percent) from BAU emission levels projected for 2020, or about 10 percent from 2008 levels. The Scoping Plan contains a variety of strategies to reduce the State's emissions. The project is consistent with most of the strategies while others are not applicable to the project.

IX. HAZARDS AND HAZARDOUS MATERIALS

Would the project:

- A. Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials; or

- B. Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment; or
- C. Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one quarter-mile of an existing or proposed school?

FINDING: LESS THAN SIGNIFICANT IMPACT:

The project does not involve transport, use, disposal, release, or handling of hazardous materials which may create hazard to the public or the environment. The nearest school, Sunset School in City of Coalinga, is approximately 7.5 miles west of the project site.

An environmental site check investigation was conducted by SIA Investigation, Inc on November 29, 2018 to document any sign of oil contaminates emanating from the ground throughout the 78.18-acre project site. The investigator conducted a grid search of the property, documenting the property ground with still photographs and video footage. No evidence could be found such as abnormal disturbances or odors from the soil to suggest there was any type of hazardous oil contaminate leakage emanating from the ground on the property.

The Fresno County Department of Public Health, Environmental Health Division reviewed the project and required that the following shall be included as a Project Note: If any underground storage tank(s) are found during construction, the applicant shall apply for and secure an Underground Storage Tank Removal Permit from the Fresno County Department of Public Health, Environmental Health Division.

- D. Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?

FINDING: NO IMPACT:

Per the U.S. EPA's NEPAAssist, the project site is not listed as a hazardous materials site. The project will not create hazards to the public or the environment.

- E. For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, result in a safety hazard or excessive noise for people residing or working in the project area?

FINDING: NO IMPACT:

Per the Fresno County *Airport Land Use Compatibility Plan Update* adopted by the Airport Land Use Commission (ALUC) on December 3, 2018, the nearest public airport, New Coalinga Municipal Airport, is approximately 3.2 miles west of the project site. Given the distance, the airport will not result in a safety hazard or excessive noise for people visiting the project site.

- F. Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?

FINDING: NO IMPACT:

The project site is in an area where existing emergency response times for fire protection, emergency medical services, and sheriff protection meet adopted standards. The project does not include any characteristics (e.g., permanent road closures) that would physically impair or otherwise interfere with emergency response or evacuation in the project vicinity. These conditions preclude the possibility of the proposed project conflicting with an emergency response or evacuation plan. No impacts would occur.

- G. Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?

FINDING: NO IMPACT:

Per Figure 9-9 of the Fresno County General Plan Background Report, the project site is outside of the State Responsibility area for wildland fire protection. The project will not expose persons or structures to wildland fire hazards.

X. HYDROLOGY AND WATER QUALITY

Would the project:

- A. Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or groundwater quality?

FINDING: LESS THAN SIGNIFICANT IMPACT WITH MITIGATION
INCORPORATED:

See discussion in Section VII. E. GEOLOGY AND SOILS regarding wastewater discharge.

The project proponent intends to use an existing onsite well to provide potable water to the project.

The project review by the State Water Resources Control Board (SWRCB), Division of Drinking Water (DDW) indicates that the proposed facility shall be permitted by that agency as a public water system classified as a transient non-community water system and be in compliance with Senate Bill 1263 (SB 1263). The Bill requires that prior to applying for a permit for a proposed new public water system, the applicant first submit a preliminary technical report before initiating construction of any water-related improvement which will analyze the feasibility of connecting to an existing community water system for water service. SWRCB-DDW also requires that the applicant shall conduct water quality testing of the existing well in accordance with the requirements for a community water system, as the wells proposed to provide drinking water must be

demonstrated to meet Title 22 drinking water standards. Furthermore, the applicant shall obtain a permit to operate the public water system from SWRCB-DDW.

The applicant is in the process of complying with the SWRCB-DDW requirements related to the provision of a public water system. The project will not violate any water quality standards with the adherence to the following Mitigation Measure:

* **Mitigation Measure**

1. *Prior to the issuance of building permits and at the time of Site Plan Review for the proposed facility, the project proponent shall complete all water-related requirements for the project as required by and to the satisfaction of the State Water Resources Control Board (SWRCB), Division of Drinking Water (DDW). The project proponent shall also obtain permits from SWRCB-DDW prior to operating a public water system.*

The project review by the Fresno County Department of Public Health, Environmental Health Division requires the following to be included as Project Notes: 1) in an effort to protect groundwater, all abandoned water wells on the parcel shall be properly destroyed by an appropriately-licensed contractor; 2) prior to destruction of agricultural wells, a sample of the uppermost fluid in the well column shall be checked for lubricating oil; 3) should lubricating oil be found in the well, the oil shall be removed from the well prior to placement of fill material for destruction; and 4) the "oily water" removed from the well must be handled in accordance with federal, state and local government requirements.

The Regional Water Quality Control Board, Central Valley Region expressed no concerns related to the project impact on groundwater quality.

- B. Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?

FINDING: LESS THAN SIGNIFICANT IMPACT:

According to the applicant, an estimated 300 gallons of water will be used during each Friday, Saturday and Sunday the flea market will operate. The water supply will come from an existing onsite well subject to meeting the State Water Resources Control Board, Division of Drinking Water's requirements for a public water system as noted above.

The project site is in a water-short area of Fresno County. The Water and Natural Resources Division of the Fresno County Department of Public Works and Planning reviewed the subject proposal and expressed no concerns related to water supply to the project. The project would not deplete groundwater resources. The impacts would be less than significant.

C. Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:

1. Result in substantial erosion or siltation on or off site; or
2. Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on or off site; or
3. Create or contribute runoff water which would exceed the capacity of existing or planned storm water drainage systems or provide substantial additional sources of polluted runoff; or
4. Impede or redirect flood flows?

FINDING: LESS THAN SIGNIFICANT IMPACT:

According to the United States Geological Survey Quad Maps, no natural drainage channels run through the subject property. A seasonal stream/water channel runs approximately 0.7 mile to the north of the northern boundary of the project site.

Development of the subject proposal will not cause significant changes in the absorption rates, drainage patterns, or the rate and amount of surface run-off with adherence to the mandatory construction practices contained in the Grading and Drainage Sections of the County Ordinance Code. Per the comments provided by the Development Engineering Section of the Fresno County Department of Public Works and Planning, Project Notes would require that an Engineered Grading Plan shall be submitted, reviewed and approved and a grading permit shall be obtained prior to any onsite grading work.

D. In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?

FINDING: NO IMPACT:

Per Figure 9-7 of the Fresno County General Plan Background Report, the project site is not located in a 100-Year-Flood Inundation Area and is not subject to flooding from the 100-year storm per the Federal Emergency Management Agency FIRM Panel 3250H.

E. Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?

FINDING: NO IMPACT:

The project is not in conflict with any water quality control plan or sustainable groundwater management plan. Per the State Water Resources Control Board, Division of Drinking Water, there is no Water Quality Control Plan for Fresno County.

The project is located within Westside GSA, also known as Westlands Water District (WWD) and was routed to WWD in care of Westside Groundwater Sustainability Agency for review and comments. No concerns were expressed by that agency.

XI. LAND USE AND PLANNING

Would the project:

- A. Physically divide an established community?

FINDING: NO IMPACT:

The project site is approximately 6.4 miles east of the City of Coalinga. The project will not divide an established community.

- B. Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?

FINDING: LESS THAN SIGNIFICANT IMPACT:

The subject property is designated Agriculture in the Fresno County General Plan and is not located within the Sphere of Influence (SOI) of a city. As such, the subject proposal will not conflict with any land use plan, policy, or regulation of an agency with jurisdiction (other than County) over the project.

The County General Plan allows a flea market in an agriculturally-zoned parcel by discretionary land use approval, provided the use meets applicable General Plan policies. The proposed project (flea market) meets Policy LU-A.3 in that there is no such facility which requires a large piece of land preferably away from urban development, and which is currently serving the project area; the project site is a grazing land and not a prime farmland; the limited water used by the project will not impact groundwater resources, or alternatively the project will be connected to a community water system; and the project can be served by adequate workforce from the nearby communities of Coalinga, Huron and others.

The project meets Policy LU-A.12, Policy LU-A.13 and Policy LU-A.14 in that the proposed use is a compatible use on agricultural land pursuant to Policy LU-A.3; the project site is a grazing land; the site does not abut productive farmland; and the project will be fenced off to be isolated from abutting parcels. The project meets Policy PF-C.17 in that due to limited water usage, it will have no significant impact on groundwater resources. The project meets Policy PF-D.6 in that it will utilize an individual sewage disposal system, as no community sanitary system is currently available in the area.

XII. MINERAL RESOURCES

Would the project:

- A. Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state; or
- B. Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local General Plan, Specific Plan or other land use plan?

FINDING: NO IMPACT:

Per Figure 7-8 of the Fresno County General Plan Background Report, the project site is outside of a mineral-producing area of the County.

XIII. NOISE

Would the project result in:

- A. Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies; or
- B. Generation of excessive ground-borne vibration or ground-borne noise levels?

FINDING: LESS THAN SIGNIFICANT IMPACT:

The project will operate on Friday, Saturday and Sunday from 5 a.m. to 10 p.m., generating an estimated 500 customers, patrons and members. Outside vendors will use music entertainment during the daylight hours and may also use sound amplifications. All these activities will potentially generate additional noise impacting surrounding properties.

An Acoustical Analysis (Report) was prepared for the project by WJV Acoustics, Inc, dated March 25, 2019. Based on the project site plan, proposed activities and the noise levels that could be produced by amplified sound systems at the project site, the Report concludes that the project-related noise levels are not expected to exceed the applicable County of Fresno daytime (7:00 a.m. to 10:00 p.m.) or nighttime (10:00 p.m. to 7:00 a.m.) noise level standards at any offsite noise-sensitive land uses. The Report recommended no Mitigation Measures.

The Fresno County Department of Public Health, Environmental Health Division concurred with the findings of the Acoustical Analysis, and expressed no concerns related to noise.

- C. For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?

FINDING: NO IMPACT:

See discussion above in Section IX. E.

XIV. POPULATION AND HOUSING

Would the project:

- A. Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure); or
- B. Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?

FINDING: NO IMPACT:

The project will not result in an increase of housing, nor will it otherwise induce population growth.

XV. PUBLIC SERVICES

Would the project:

- A. Result in substantial adverse physical impacts associated with the provision of new or physically-altered governmental facilities, or the need for new or physically-altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the following public services:

- 1. Fire protection?

FINDING: LESS THAN SIGNIFICANT IMPACT:

Per the initial review of the project by the Fresno County Fire Protection District (CalFire), the project shall comply with the California Code of Regulations Title 24 – Fire Code and upon County approval of the project and prior to issuance of the project building permits, approved site plans shall be submitted for the District’s review and approval. Also, the project shall annex to Community Facilities District No. 2010-01 of CalFire. These requirements, included as Project Notes, will be addressed through Site Plan Review recommended as a Condition of Approval.

- 2. Police protection; or
- 3. Schools; or
- 4. Parks; or
- 5. Other public facilities?

FINDING: NO IMPACT:

The project will not impact existing public services, nor will it result in the need for additional public services related to schools, parks or police protection by the Fresno County Sheriff's Office.

XVI. RECREATION

Would the project:

- A. Increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated; or
- B. Include recreational facilities or require the construction or expansion of recreational facilities, which might have an adverse physical effect on the environment?

FINDING: NO IMPACT:

The project will not induce population growth which may require construction of new or expanded recreational facilities in the area.

XVII. TRANSPORTATION

Would the project:

- A. Conflict with a program, plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?

FINDING: LESS THAN SIGNIFICANT IMPACT WITH MITIGATION
INCORPORATED:

The project will not be in conflict with any policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities. The project site is located approximately 6.4 miles east of the City of Coalinga along Jayne Avenue, which is designated as a Local road in the County General Plan. The project area is comprised of limited sporadic farming, is rural in nature, and is not planned for any transit, bicycle, or pedestrian facilities per the Transportation and Circulation Element of the Fresno County General Plan.

The Design Division of the Fresno County Department of Public Works and Planning reviewed the subject proposal and required a traffic impact study to determine the project's impacts to County Roads and Intersections. A Traffic Impact Analysis (TIA) was prepared for the project by JBL Traffic Engineering, Inc. and dated November 15, 2019.

According to the TIA, presently, all study intersections and segments operate at an acceptable Level of Service (LOS) during both peak periods. The project was analyzed

for the location of the proposed access points relative to the existing local roads within the project vicinity. The proposed project driveways are located at points that minimize traffic operational impacts to the existing roadway network. At buildout, the project is estimated to generate a maximum of 4,794 daily trips, 248 AM peak-hour trips and 140 PM peak-hour trips.

Furthermore, according to the TIA, Under Near Term Year 2025 and Cumulative Year 2039 plus Project Traffic Conditions, all study intersections and segments are projected to operate at an acceptable LOS during both peak periods. However, traffic at the Interstate 5 and Jayne Avenue interchange should be observed to ensure that the project has no traffic impacts. If the impacts are observed, the TIA recommends that a transportation management plan shall be prepared to alleviate such impacts.

Regarding queuing analysis, the TIA recommends that the project shall add an eastbound left-turn lane and transitions thereof at the intersection of Patron Access Driveway and Jayne Avenue. The Design Division and Road Maintenance and Operations Division of the Fresno County Department of Public Works and Planning concurred with the TIA's recommendations for a left-turn lane. The project will adhere to the following Mitigation Measure to mitigate any traffic-related impacts on Jayne Avenue.

* **Mitigation Measure:**

1. *Prior to occupancy being granted to the proposed facility, the project proponent shall obtain the necessary right-of-way, design, and construct an eastbound left-turn lane of such length recommended by a traffic engineer and approved by the County on Jayne Avenue into the patron access driveway at the developer's expense. Additional pavement construction and dedication of road right-of-way to the County may be required for the widening of Jayne Avenue to accommodate the left-turn lane. Design documents and an encroachment permit application shall be submitted to the Road Maintenance and Operations Division for approval prior to construction.*

The California Department of Transportation (Caltrans) concurred with the TIA's recommendation for a Traffic Management Plan (TMP). The project will adhere to the following Mitigation Measure related to the TMP:

* **Mitigation Measure:**

1. *Should traffic impacts be observed for either the northbound or southbound off-ramp at the Interstate 5/Jayne Avenue interchange, the project proponent shall prepare a transportation management plan to alleviate such impacts. The plan, prior to its implementation, shall be reviewed and approved by the California Department of Transportation (Caltrans).*

- B. Be in conflict or be inconsistent with the California Environmental Quality Act (CEQA) Guidelines Section 15064.3, subdivision (b)?

FINDING: LESS THAN SIGNIFICANT IMPACT:

The subject property is located approximately 6.4 miles east of the City of Coalinga and 7.1 miles southwest of the unincorporated community of Huron.

Should the proposed project be approved, the project site will be developed with vendors' area, restrooms, under-canopy music and sitting area, fruit/vegetable stalls, parking spaces, and access drives from the public road (Jayne Avenue).

No facilities like the one proposed by this application are currently available on the east side of Fresno County to serve the residents of the City of Coalinga, unincorporated community of Huron and others. Therefore, it is likely that these communities will continue driving out of town to other flea markets, swap meets, and farmer's markets located in the City of Fresno, City of Selma, and City of Kerman, thereby adding miles travelled across rural areas of the County. In contrast, it is reasonable to expect that the proposed facility will serve those residing in the vicinity of the project and help reduce total vehicle miles travelled out of town. Given this scenario, staff believes the proposed development would not conflict or be inconsistent with above-noted CEQA Guidelines.

- C. Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?

FINDING: LESS THAN SIGNIFICANT IMPACT WITH MITIGATION INCORPORATED:

The Road Maintenance and Operations Division of the Fresno County Department of Public Works and Planning reviewed the subject proposal and requires that any fees that might be collected for visitor parking should be done at the check point, leaving the 220-foot-long driveway off Jayne Avenue as a queueing area. To address this possibility, the applicant should develop a traffic management plan (TMP) to show the measures that would be instituted in order to remove any queue from the public road right-of-way. The project will adhere to the following Mitigation Measure relating to the TMP:

* **Mitigation Measure:**

1. *Prior to the issuance of building permit and at the time of Site Plan Review, the applicant shall develop a Traffic Management Plan (TMP) for review and approval by the Road Maintenance and Operations Division of the Fresno County Department of Public Works and Planning. The TMP shall include a 220-foot-long driveway off Jayne Avenue as a queueing area, excluding visitors checkpoint/fee collection and the existing 60-foot right-of-way north of Jayne Avenue.*

- D. Result in inadequate emergency access?

FINDING: NO IMPACT:

Jayne Avenue, a paved public road, provides direct access to the project site. The initial review of the project by the County Fire Department resulted in no concerns regarding inadequate emergency access to the site. The emergency access will be further analyzed by the Fire Department through subsequent Site Plan Review recommended as a Condition of Approval for the project.

XVIII. TRIBAL CULTURAL RESOURCES

Would the project:

- A. Cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code Section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:
1. Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code Section 5020.1(k); or
 2. A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1? (In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe.)?

FINDING: LESS THAN SIGNIFICANT IMPACT:

The project site is not located in an area designated as highly sensitive for archeological resources. Pursuant to Assembly Bill (AB) 52, the subject proposal was routed to the Santa Rosa Rancheria Tachi Yokut Tribe, Picayune Rancheria of the Chukchansi Indians, and Dumna Wo Wah Tribal Government offering them an opportunity to consult under Public Resources Code (PRC) Section 21080.3(b) with a 30-day window to formally respond to the County letter. No tribe requested consultation, resulting in no further action on the part of the County. Because the property is moderately sensitive to archaeological resources, a Mitigation Measure has been included in the CULTURAL ANALYSIS section of this report. Implementation of this Mitigation Measure will reduce impact to tribal cultural resources to a less than significant.

XIX. UTILITIES AND SERVICE SYSTEMS

Would the project:

- A. Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?

FINDING: LESS THAN SIGNIFICANT IMPACT:

See discussion in Section VII. E. GEOLOGY AND SOILS above. The project will not result in the relocation or construction of new electric power, natural gas, or telecommunications facilities.

- B. Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?

FINDING: LESS THAN SIGNIFICANT IMPACT:

See discussion in Section X. B. HYDROLOGY AND WATER QUALITY above.

- C. Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?

FINDING: LESS THAN SIGNIFICANT IMPACT:

See discussion in Section VII. E. GEOLOGY AND SOILS above.

- D. Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals; or
- E. Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?

FINDING: LESS THAN SIGNIFICANT IMPACT:

Per the Applicant's Operational Statement, the proposed facility will produce approximately one ton of trash and recyclable solid waste per week. Solid waste for the local landfill will be collected through regular trash collection service, while others will be recycled. All solid waste disposal will adhere to local and state standards and will have a less than significant impact on the holding capacity of local landfills.

XX. WILDFIRE

If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project:

- A. Substantially impair an adopted emergency response plan or emergency evacuation plan, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects; or
- B. Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire; or
- C. Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment; or
- D. Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?

FINDING: NO IMPACT:

The project site is not located within or near a State Responsibility Area for wildfire. Also, see discussion in Section XV. A. 1. PUBLIC SERVICES above.

XXI. MANDATORY FINDINGS OF SIGNIFICANCE

Would the project:

- A. Have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?

FINDING: LESS THAN SIGNIFICANT IMPACT:

Construction and operation of the project may impact sensitive biological and cultural resources. Included Mitigation Measures in Section IV. BIOLOGICAL RESOURCES and Section V. CULTURAL RESOURCES of this report will minimize such impacts to less than significant.

- B. Have impacts that are individually limited, but cumulatively considerable (“cumulatively considerable” means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?

FINDING: LESS THAN SIGNIFICANT IMPACT:

Each of the projects located within Fresno County has been or would be analyzed for potential impacts, and appropriate project-specific Mitigation Measures are developed to

reduce that project's impacts to less than significant levels. Projects are required to comply with applicable County policies and ordinances. The incremental contribution by the proposed project to overall development in the area is less than significant.

The project will adhere to the permitting requirements and rules and regulations set forth by the Fresno County Grading and Drainage Ordinance, San Joaquin Air Pollution Control District, and California Code of Regulations Fire Code at the time development occurs on the property. No cumulatively considerable impacts relating to Agricultural and Forestry Resources or Air quality were identified in the project analysis.

- C. Have environmental effects which will cause substantial adverse effects on human beings either directly or indirectly?

FINDING: NO IMPACT:

No substantial impacts on human beings, either directly or indirectly, were identified in the analysis.

CONCLUSION/SUMMARY

Based upon Initial Study No. 7568 prepared for Classified Conditional Use Permit Application No. 3632, staff has concluded that the project will not have a significant effect on the environment. It has been determined that there would be no impacts to mineral resources, population and housing, recreation, or wildfire.

Potential impacts related to agriculture and forestry resources, energy, geology and soils, greenhouse gas emissions, hazards and hazardous materials, land use and planning, noise, public services, tribal cultural resources, utilities and service systems have been determined to be less than significant.

Potential impacts to aesthetics, air quality, biological resources, cultural resources, hydrology and water quality, and transportation have been determined to be less than significant with the identified Mitigation Measures.

A Mitigated Negative Declaration is recommended and is subject to approval by the decision-making body. The Initial Study is available for review at 2220 Tulare Street, Suite A, street level, located on the southwest corner of Tulare and "M" Streets, Fresno, California.

EA:

G:\4360Devs&PIn\PROJSEC\PROJDOCS\CUP\3600-3699\3632\IS-CEQA\CUP 3632 IS wu (Most Current).doc

File original and one copy with: Fresno County Clerk 2221 Kern Street Fresno, California 93721		Space Below For County Clerk Only. CLK-2046.00 E04-73 R00-00			
Agency File No: IS 7568		LOCAL AGENCY PROPOSED MITIGATED NEGATIVE DECLARATION		County Clerk File No: E-	
Responsible Agency (Name): Fresno County		Address (Street and P.O. Box): 2220 Tulare St. Sixth Floor		City: Fresno	Zip Code: 93721
Agency Contact Person (Name and Title): Ejaz Ahmad, Planner			Area Code: 559	Telephone Number: 600-4204	Extension: N/A
Applicant (Name): Luis Bravo on behalf of Rito Gutierrez			Project Title: Classified Conditional Use Permit Application No. 3632		
Project Description: Allow a flea market with related improvements on an approximately six-acre portion of a 78.18-acre parcel in AE-20 (Exclusive Agricultural; 20-acre minimum parcel size) Zone District. The project is located on the north side of W. Jayne Avenue approximately 2,556 feet west of its intersection with El Dorado Avenue and 6.4 miles east of the nearest city limits of City of Coalinga (23436 W. Jayne Avenue, Coalinga) (Sup. Dist. 4) (APN 073-090-20S).					
Justification for Mitigated Negative Declaration: Based upon the Initial Study (IS 7568) prepared for Classified Conditional Use Permit Application No. 3632, staff has concluded that the project will not have a significant effect on the environment. No impacts were identified related to mineral resources, population and housing, recreation, or wildfire. Potential impacts related to agriculture and forestry resources, energy, geology and soils, greenhouse gas emissions, hazards and hazardous materials, land use and planning, noise, public services, tribal cultural resources, utilities and service systems have been determined to be less than significant. Potential impacts related to aesthetics, air quality, biological resources, cultural resources, hydrology and water quality, and transportation have been determined to be less than significant with the included Mitigation Measures. The Initial Study and Mitigated Negative Declaration (MND) is available for review at 2220 Tulare Street, Suite A, Street Level, located on the southeast corner of Tulare and "M" Street, Fresno, California.					
FINDING: The proposed project will not have a significant impact on the environment.					
Newspaper and Date of Publication: Fresno Business Journal – January 13, 2020			Review Date Deadline: Planning Commission – February 13, 2020		
Date: January 10, 2020	Type or Print Name: Marianne Mollring, Senior Planner		Submitted by (Signature):		

State 15083, 15085

County Clerk File No.: _____

**LOCAL AGENCY
MITIGATED NEGATIVE DECLARATION**

Mitigation Monitoring and Reporting Program
Initial Study Application No. 7568
Classified Conditional Use Permit Application No. 3632

Mitigation Measures					
Mitigation Measure No.*	Impact	Mitigation Measure Language	Implementation Responsibility	Monitoring Responsibility	Time Span
*1.	Aesthetics	All outdoor lighting shall be hooded and directed downward so as to not shine toward adjacent properties and public streets.	Applicant	Applicant/Fresno County Department of Public Works and Planning (PW&P)	On-going; for duration of the project
*2.	Air Quality	<p>Consistent with San Joaquin Valley Air Pollution Control District Regulation VIII (Fugitive PM10 Prohibitions), the following measures shall be implemented for dust control during grading and construction:</p> <ol style="list-style-type: none"> 1. The area disturbed by clearing, grading, earth moving, or excavation operations shall be minimized to prevent excessive amounts of dust. 2. Pre-grading/excavation activities shall include watering the area to be graded or excavated before commencement of grading or excavating activities. Application of water should penetrate sufficiently to minimize fugitive dust during grading activities. 3. Fugitive dust produced during grading, excavation, and construction activities shall be controlled by the following activities: <ol style="list-style-type: none"> a. All trucks shall be required to cover their loads as required by California Vehicle Code Section 23114. b. All graded and excavated material, exposed soil areas, and active portions of the construction site, including unpaved on-site roadways, shall be treated to prevent fugitive dust. 	Applicant	Applicant/San Joaquin Valley Air Pollution Control District	As noted

	<p>c. Treatment shall include, but not necessarily be limited to, periodic watering, application of environmentally-safe soil stabilization materials, and/or roll compaction as appropriate. Watering shall be done as often as necessary by using reclaimed water whenever possible.</p> <p>4. Graded and/or excavated inactive areas of the construction site shall be monitored at least weekly for dust stabilization. Soil stabilization methods shall be periodically applied to portions of the construction site that are inactive for over four days. If no further grading or excavation operations are planned for the area within three weeks, it shall be seeded and watered until grass growth is evident, or periodically treated with environmentally safe dust suppressants, to prevent excessive fugitive dust.</p> <p>5. Signs shall be posted on-site limiting traffic to 15 miles per hour or less.</p> <p>6. During periods of high winds, all clearing, grading, earth moving, and excavation operations shall be curtailed to the degree necessary to prevent fugitive dust from being an annoyance or hazard, either off-site or on-site.</p> <p>7. Adjacent streets and roads shall be swept at least once per day, preferably at the end of the day, if visible soil material is carried over to adjacent streets and roads.</p> <p>8. Personnel involved in grading operations, including contractors and subcontractors, shall wear respiratory protection in accordance with California Division of Occupational Safety and Health regulations.</p> <p>9. Rumble strips/shaker plates/or base rock shall be installed at all truck exits from the site.</p> <p>10. Dust control requirements shall be shown on all grading plans.</p>	
*3.	Air Quality	The following shall be implemented during construction to minimize emissions of ozone precursors.

	<p>a. Construction contractors shall minimize equipment idling time throughout construction. Engines shall be turned off if idling would be for more than five minutes.</p> <p>b. Equipment engines shall be maintained in good condition and in proper tune as per manufacturers' specifications.</p> <p>c. The number of pieces of equipment operating simultaneously shall be minimized.</p> <p>d. Construction contractors shall use alternatively fueled construction equipment (such as compressed natural gas, liquefied natural gas, or electric) when feasible.</p> <p>e. The engine size of construction equipment shall be the minimum practical size.</p> <p>f. Heavy-duty diesel-powered construction equipment manufactured after 1996 (with federally mandated clean diesel engines) shall be utilized wherever feasible.</p> <p>g. During the smog season (May through October), the construction period should be lengthened.</p>			
*4.	Biological Resources	<p>A qualified biologist shall conduct a habitat assessment in advance of project implementation to determine if the project area or its immediate vicinity contains suitable habitat for San Joaquin kitfox (SJKF), assess presence/absence of SJKF by conducting surveys following the USFWS "Standardized recommendations for protection of SJKF prior to or during ground disturbance" (2011) and upon SJKF detection consult with CDFW to discuss how to avoid take, or if avoidance is not feasible, acquire an Incidental Take Permit (ITP) prior to the project activities, pursuant to Fish and Game Code Section 2081 (b).</p>	Applicant	<p>Applicant/ California Department of Fish and Wildlife (CDFW); US Fish & Wildlife Service (USFWS)</p> <p>As noted</p>
*5.	Biological Resources	<p>A qualified biologist shall conduct a habitat assessment in advance of project implementation to determine if the Project area or its immediate vicinity contains suitable habitat for Blunt-nosed leopard lizard (BNLL). If suitable habitat is present, prior to initiating any project activities, conduct surveys in accordance with the "Approved Survey Methodology for the Blunt-nosed Leopard lizard" (CDFG 2004). Complete BNLL surveys no more than one year prior to initiation of ground</p>	Applicant	<p>Applicant/ CDFW/ USFWS</p> <p>As noted</p>

		<p>disturbance. Protocol-level surveys must be conducted on multiple dates during late spring, summer, and fall and that within these time periods there are specific protocol-level date, temperature, and time parameters which must be adhered to. If BNLL detected during protocol level surveys, CDFW shall be consulted to discuss how to implement project activities and avoid take.</p>			
*6.	Biological Resources	<p>A qualified biologist shall conduct a habitat assessment in advance of project implementation to determine if the project area or its immediate vicinity contains suitable habitat for san Joaquin Antelope Squirrel (SJAS). In areas of suitable habitat, a qualified biologist shall conduct focused daytime visual surveys for SJAS using line transects with 10 to 30 meter spacing. These surveys shall be conducted between April 1 and September 20, during daytime temperatures between 68-86° F (CDFG 1990). If suitable habitat is present and surveys or trapping are not feasible, a 50-foot minimum no-disturbance buffer shall be maintained around all small mammal burrows of suitable size for SJAS. If SJAS detected, California Department of Fish and Wildlife shall be consulted to discuss how to avoid take, or if avoidance is not feasible, to acquire an Incidental Take Permit (ITP) prior to ground-disturbing activities, pursuant to Fish and Game Code Section 2081 (b).</p>	Applicant	Applicant/ CDFW/ USFWS	As noted
*7.	Biological Resources	<p>A qualified wildlife biologist shall conduct surveys for nesting raptors following the survey methodology developed by the Swainson hawk (SWHA) Technical Advisory Committee (SWHA TAC 2000) prior to project initiation and that these surveys extend to a one half-mile radius surrounding the project area. If project activities take place during the normal bird breeding season (February 1 through September 15), additional pre-construction surveys for active nests be conducted by a qualified biologist no more than 10 days prior to the start of construction. If an active SWHA nest is found, a minimum one half-mile no-disturbance buffer shall be provided until the breeding season has ended or until a qualified biologist has determined that the birds have fledged and are no longer reliant upon the nest or parental care for survival. If SWHA are detected and the one half-mile no-disturbance nest buffer is not feasible, the California Department of Fish and</p>	Applicant	Applicant/ CDFW/ USFWS	As noted

		<p>Wildlife shall be consulted to determine if the project can avoid take. If SWHA cannot be avoided an ITP prior to vegetation or ground-disturbing' activities is necessary to comply with California Endangered Species Act.</p>		
*8.	Biological Resources	<p>A qualified biologist shall conduct a habitat assessment in advance of Project implementation to determine if the project area or its immediate vicinity contains suitable habitat for Giant Kangaroo Rat (GKR) and Short-nosed Kangaroo Rat (SNKR). If suitable habitat is present, a trapping plan for determining presence of GKR and SNKR shall be submitted to and approved by CDFW prior to subsequent trapping efforts. These surveys shall be conducted by a qualified biologist who holds a Memorandum of Understanding with the California Department of Fish and Wildlife (CDFW) for GKR and SNKR and be conducted between April 1 and October 31, when kangaroo rats are most active. If suitable habitat is present and trapping is not feasible, a 50-foot minimum no-disturbance buffer shall be conducted around all small mammal burrows. If GKR or SNKR are found within the project area during preconstruction surveys or construction activities, CDFW shall be consulted to discuss how to implement the project and avoid take; or if avoidance is not feasible, to acquire an incidental Take Permit for GKR prior to any ground-disturbing activities, pursuant Fish and Game Code Section 2081(b).</p>	Applicant	Applicant/ CDFW/ USFWS As noted
*9.	Biological Resources	<p>The project site shall be surveyed for special-status plants by a qualified botanist following the "Protocols for Surveying and Evaluating Impacts to Special Status Native Plant Populations and Sensitive Natural Communities" (CDFW 2018). In the absence of protocol-level surveys being performed, additional surveys may be necessary. The special-status plant species shall be avoided whenever possible by delineation and observing a no-disturbance buffer of at least 50 feet from the outer edge of the plant population(s) or specific habitat type(s) required by special-status plant species. If buffers cannot be maintained, then the California Department of Fish and Wildlife (CDFW) shall be consulted to determine appropriate minimization and mitigation measures for impacts to special-status plant species. If a California Endangered Species Act (CESA)-listed plant species is identified during botanical surveys, CDFW shall be consulted to determine if the project can avoid take. If take cannot be avoided, take authorization may be warranted. Take</p>	Applicant	Applicant/ CDFW/ USFWS As noted

	<p>authorization would occur through issuance of an Incidental Take Permit by CDFW, pursuant to Fish and Game Code Section 2081(b).</p>		
*10.	<p>Biological Resources</p>	<p>A qualified biologist shall conduct a habitat assessment in advance of project implementation, to determine if the project area or its vicinity contains suitable habitat for Burrowing Owl (BUOW). If suitable habitat is present on or in the vicinity of the project area, a qualified biologist shall conduct surveys following the California Burrowing Owl Consortium's (CBOC) "Burrowing Owl Survey Protocol and Mitigation Guidelines" (CBOC 1993) and CDFW's "Staff Report on Burrowing Owl Mitigation" (CDFG 2012). Three or more surveillance surveys conducted during daylight with each visit occurring at least three weeks apart during the peak breeding season (April 15 to July 15), when BUOW are most detectable. In addition, the surveys shall include a 500-foot buffer around the Project area. No-disturbance buffers, as outlined in the "Staff Report on Burrowing Owl Mitigation" (CDFG 2012) shall be implemented prior to and during any ground-disturbing activities. Specifically, and impacts to occupied burrows shall be avoided in accordance with the following table unless a qualified biologist approved by the California Department of Fish and Wildlife verifies through non-invasive methods that either: 1) the birds have not begun egg laying and incubation; or 2) that juveniles from the occupied burrows are foraging independently and are capable of independent survival.</p>	<p>Applicant</p> <p>Applicant/ CDFW/ USFWS</p> <p>As noted</p>
*11.	<p>Biological Resources</p>	<p>If Burrowing Owl (BUOW) are found within these recommended buffers and avoidance is not possible, burrow exclusion shall be conducted according to the Staff Report (CDFG 2012) by qualified biologists and only during the non-breeding season, before breeding behavior is exhibited and after the burrow is confirmed empty through non-invasive methods, such as surveillance. Also, occupied burrows shall be replaced with artificial burrows at a ratio of 1 burrow collapsed to 1 artificial burrow constructed (1: 1) as mitigation for the potentially significant impact of evicting BUOW.</p>	<p>Applicant</p> <p>Applicant/ CDFW/ USFWS</p> <p>As noted</p>
*12.	<p>Biological Resources</p>	<p>A qualified biologist shall conduct a habitat assessment in advance of project implementation, to determine if the project area or its immediate vicinity contain suitable habitat for Loggerhead shrike, LeConte's thrasher, American badger, San Joaquin coachwhip, western spadefoot, California legless</p>	<p>Applicant</p> <p>Applicant/ CDFW/ USFWS</p> <p>As noted</p>

	<p>lizard, California glossy snake, coast horned lizard, and American badger. If suitable habitat is present, a qualified biologist shall conduct focused surveys for applicable species and their requisite habitat features to evaluate potential impacts resulting from ground and vegetation disturbance. Avoidance whenever possible is encouraged via delineation and observance a 50-foot no-disturbance buffer around dens of mammals like the American badger as well as burrows which can provide refuge for small mammals, reptiles, and amphibians, and 100 feet around nests of special-status bird species.</p>			
*13.	<p>Biological Resources</p>	<p>In addition to consultation with the California Department of Fish and Wildlife's (CDFW) Regional California Endangered Species Act staff, CDFW's Regional Ecological Reserve Management Unit staff shall also be consulted in advance of project initiation to demonstrate accurate delineation of property boundaries to prevent encroachment on CDFW-owned lands. Consultation is also recommended to discuss planned ingress and egress to the project area for the purposes of preventing encroachment on CDFW-owned lands. John Battistoni, Regional Ecological Reserve Management Unit Supervisor shall be contacted via email John.Battistoni@wildlife.ca.gov. or via telephone at 559-243-4014 extension 219.</p>	<p>Applicant</p>	<p>Applicant/ CDFW/ USFWS</p> <p>As noted</p>
*14.	<p>Biological Resources</p>	<p>To mitigate impact to natural lands, the project proponent shall do the following</p> <ul style="list-style-type: none"> a. To mitigate for permanent impacts to natural lands by permanently conserving similar vegetation communities (grassland, saltbush scrub) that provide habitat for San Joaquin kit fox, San Joaquin antelope squirrel, and short-nosed kangaroo rat provide one-acre of mitigation land for each acre of development authorized. b. Permanently protect mitigation land through a conservation easement deeded to a nonprofit conservation organization or public agency with a conservation mission. c. Develop and implement a mitigation land management plan to address long-term ecological sustainability and maintenance of the site. 	<p>Applicant</p>	<p>Applicant/ CDFW/ USFWS</p> <p>As noted</p>

		<p>d. Fund the maintenance and management of mitigation land by establishing a long-term funding mechanism such as an endowment.</p> <p>e. Mitigation lands shall be on, adjacent to, or near the Project site where possible.</p> <p>f. Where there is insufficient habitat on, adjacent to, or near Project site, acquire mitigation lands with habitat for San Joaquin kit fox, San Joaquin antelope squirrel and short-nosed kangaroo rat away from the Project site.</p> <p>g. Alternatively, if the project site is within the service area of a California Department of Fish and Wildlife-approved conservation bank, purchase available conservation bank credits from that bank.</p>	Applicant	Applicant/ CDFW/ USFWS	As noted
*15.	Biological Resources	<p>To protect brittle-scale, crownscale, San Joaquin woollythreads, and recurved larkspur, a qualified biologist shall survey the project site during the flowering period (February–May for San Joaquin woollythreads and recurved larkspur; June - October for brittle-scale; March - October for crownscale) for these species following the Protocols for Surveying and Evaluating Impacts to Special Status Plant Populations and Sensitive Natural Communities (California Department of Fish and Wildlife (CDFW) 2018b). If any of these species is present, the qualified biologist shall stake and flag no disturbance exclusion zones of 100 feet around these plants prior to construction activities. These exclusion zones shall remain in place throughout construction activities. If these exclusion zones cannot be maintained, the project proponent shall consult with the CDFW to determine appropriate measures to implement to minimize or mitigate impacts to special-status plants.</p>	Applicant	Applicant/ CDFW/ USFWS	As noted
*16.	Biological Resources	<p>To protect San Joaquin coachwhip and California glossy snake, a qualified biologist shall conduct pre-construction surveys where suitable habitat is identified within proposed work areas immediately prior to ground-disturbing activities. If either species is found, work shall not begin until the animal has moved out of the work area on its own. During construction, a qualified biologist shall inspect open trenches, pits, and construction equipment and materials left on site for snakes each morning prior to the start of work and at the end of each workday.</p>	Applicant	Applicant/ CDFW/ USFWS	As noted

*17.	Biological Resources	<p>To protect blunt-nosed leopard lizard, a qualified biologist shall establish no disturbance exclusion zones of 50 feet around all occupied or potentially occupied burrows. A qualified biologist shall inspect open trenches for blunt nosed leopard lizards each day prior to the start of work and at the end of each workday. If a blunt-nosed leopard lizard is found, all construction activities shall halt until it has moved out of the work area on its own. If ground disturbing activities cannot avoid burrows, surveys following the methods described in Approved Survey Methodology for the Blunt-nosed Leopard Lizard (CDFG 2004) shall be conducted within one year of ground-disturbing activities to determine whether the species is present or absent. The results of these surveys shall be submitted to the California Department of Fish and Wildlife (CDFW). If a blunt-nosed leopard lizard is found at any time in the Project area, the project proponent shall consult with the CDFW to discuss how to implement the Project to avoid take.</p>	Applicant	Applicant/ CDFW/ USFWS	As noted
*18.	Biological Resources	<p>To protect Loggerhead shrike, construction shall be scheduled to avoid the nesting season, which extends from February through August. If it is not possible to schedule construction between September and January, preconstruction surveys for nesting birds shall be conducted by a qualified biologist to ensure that no active nests will be disturbed during Project implementation. A pre-construction survey shall be conducted no more than 14 days prior to the initiation of construction activities. During this survey, the qualified biologist shall inspect all potential nest substrates in and immediately adjacent to the impact areas for nests. If an active nest is found close enough to the construction area to be disturbed by these activities, the qualified biologist shall determine the extent of a construction-free buffer to be established around the nest. If work cannot proceed without disturbing the nesting birds, work may need to be halted or redirected to other areas until nesting and fledging are completed, or the nest has otherwise failed for non-construction related reasons.</p>	Applicant	Applicant/ CDFW/ USFWS	As noted
*19.	Biological Resources	<p>To protect San Joaquin antelope squirrel, a qualified biologist shall conduct pre-construction surveys for the species (Harris and Stearns 1991). If the species is detected near active work</p>	Applicant	Applicant/ CDFW/ USFWS	As noted

			areas, the qualified biologist shall establish an exclusion zone of 50 feet around occupied or potentially occupied burrows. If work must take place in the exclusion zone, the project proponent must consult with the California Department of Fish and Wildlife to determine if take can be avoided. If take cannot be avoided, an Incidental Take Permit pursuant to California Fish and Game Code Section 2081 must be obtained to comply with California Endangered Species Act.	Applicant	Applicant/ CDFW/ USFWS	As noted
*20.	Biological Resources	To protect short-nosed kangaroo rat, a qualified biologist shall flag occupied or potentially occupied burrows and establish 50-foot exclusion zones for avoidance. If these exclusion zones cannot be maintained, the project proponent shall consult with the California Department of Fish and Wildlife (CDFW) to determine appropriate measures to implement to minimize or mitigate impacts to short-nosed kangaroo rat.	Applicant	Applicant	Applicant/ CDFW/ USFWS	As noted
*21.	Biological Resources	To protect American badger, a qualified biologist shall conduct a preconstruction survey for the species. If American badger or American badger activity (e.g., dens, diggings) are detected, the qualified biologist shall establish no-disturbance exclusion zones of 50 feet between active dens and the work area. If these exclusion zones cannot be maintained, the project proponent shall consult with the California Department of Fish and Wildlife to determine appropriate measures to implement to minimize or mitigate impacts to American badger.	Applicant	Applicant	Applicant/ CDFW/ USFWS	As noted
*22.	Biological Resources	To protect San Joaquin kit fox, a qualified biologist shall conduct a preconstruction survey to identify potential dens, including potential atypical dens (i.e., manmade structures), in the Project area. If potential San Joaquin kit fox dens are present, their disturbance and destruction shall be avoided. If potential dens are located within the proposed work area and cannot be avoided during construction, a qualified biologist shall determine if the dens are occupied following the U.S. Fish and Wildlife Service Standardized Recommendations for Protection of the Endangered San Joaquin Kit Fox Prior or During Ground Disturbance (USFWS 2011). If unoccupied, the qualified biologist will remove these dens by hand excavating them in accordance with USFWS procedures (USFWS 2011). When occupied or potentially occupied San Joaquin kit fox dens are adjacent to the work area, exclusion zones shall be implemented following USFWS procedures. Exclusion zones shall be determined based on the type of den and current use.	Applicant	Applicant	Applicant/ CDFW/ USFWS	As noted

		<p>Potential Den: 50 feet; Known Den: 100 feet; Natal or Popping Den: to be determined on a case-by case basis in coordination with the USFWS and CDFW. All pipes greater than 4 inches in diameter stored on the construction site shall be capped and exit ramps shall be installed in trenches and other excavations to avoid direct mortality. When possible, construction shall be conducted from October 1 to November 30, outside of the breeding season. If occupied dens cannot be avoided, the project proponent shall consult with the U.S. Fish and Wildlife Service and California Department of Fish and Wildlife CDFW to determine whether Incidental Take Permits may be needed to comply with Federal Endangered Species Act and California Endangered Species Act.</p>			
*23.	Biological Resources	<p>The project proponent shall ensure that all activities related to the flea market operation remain within the limits of the project boundaries as shown on the approved Site Plan and must not encroach upon a 0.99-acre of potential waters/wetlands located within the outermost north-westly corner of the project site as identified by Aquatic Resource Delineation Report prepared by Argonaut Ecological Consulting, Inc., and dated December 3, 2019.</p>	Applicant	Applicant/ CDFW/ USFWS	As noted
*24.	Biological Resources	<p>To the extent practicable, construction shall be scheduled to avoid the nesting season, which extends from February through August.</p>	Applicant	Applicant/ CDFW/ USFWS	As noted
*25.	Biological Resources	<p>If it is not possible to schedule construction between September and January, pre-construction surveys for nesting birds shall be conducted by a qualified biologist to ensure that no active nests will be disturbed during Project implementation. A pre-construction survey shall be conducted no more than 14 days prior to the initiation of construction activities. During this survey, the qualified biologist shall inspect all potential nest substrates in and immediately adjacent to the impact areas for nests. If an active nest is found close enough to the construction area to be disturbed by these activities, the qualified biologist shall determine the extent of a construction-free buffer to be established around the nest. If work cannot proceed without disturbing the nesting birds, work may need to be halted or redirected to other areas until nesting and fledging are completed or the nest has otherwise failed for non-construction related reasons.</p>	Applicant	Applicant/ CDFW/ USFWS	As noted

*26.	Cultural Resources	In the event that cultural resources are unearthed during ground-disturbing activities, all work shall be halted in the area of the find. An Archeologist shall be called to evaluate the findings and make any necessary mitigation recommendations. If human remains are unearthed during ground-disturbing activities, no further disturbance is to occur until the Fresno County Sheriff-Coroner has made the necessary findings as to origin and disposition. All normal evidence procedures should be followed by photos, reports, video, etc. If such remains are determined to be Native American, the Sheriff-Coroner must notify the Native American Commission within 24 hours.	Applicant	Applicant/ PW&P	As noted
*27.	Hydrology and Water Quality	Prior to the issuance of building permits and at the time of Site Plan Review for the proposed facility, the project proponent shall complete all water-related requirements for the project as required by and to the satisfaction of the State Water Resources Control Board (SWRCB), Division of Drinking Water (DDW). The project proponent shall also obtain permits from SWRCB-DDW prior to operating a public water system.	Applicant	Applicant/ State Water Resources Control Board – Division of Drinking Water	As noted
*28.	Transportation	Prior to occupancy being granted to the proposed facility, the project proponent shall obtain necessary right-of-way, design, and construct an eastbound left-turn lane of such length recommended by a traffic engineer and approved by the County on Jayne Avenue into the patron access driveway, at the developer's expense. Additional pavement construction and dedication of road right-of-way to the County may be required for the widening of the Jayne Avenue to accommodate the left turn lane. Design documents and encroachment permit application shall be submitted to the Road Maintenance and Operations Division for approval, prior to construction.	Applicant	Applicant/ PW&P	As noted
*29.	Transportation	Should traffic impacts are observed for either the northbound or southbound off-ramp at the interstate 5/Jayne Avenue interchange, the project proponent shall prepare a transportation management plan to alleviate such impacts. The plan, prior to its implementation, shall be reviewed, and approved by the California Department of Transportation (Caltrans).	Applicant	Applicant/ California Dept. of Transportation	As noted
*30.	Transportation	Prior to the issuance of building permit and at the time of Site Plan Review, the applicant shall develop a Traffic Management Plan (TMP) for review and approval by the Road Maintenance and Operations Division of the Fresno County Department of	Applicant	Applicant/ PW&P	As noted

			Public Works and Planning. The TMP shall include 220 feet long driveway off Jayne Avenue as a queuing area excluding visitors checkpoint/fee collection and the existing 60-foot right of way north of Jayne Avenue.				
--	--	--	--	--	--	--	--

*MITIGATION MEASURE – Measure specifically applied to the project to mitigate potential adverse environmental effects identified in the environmental document.

EA:
G:\4360Devs&Plan\PROJ\SEC\PROJ\DOCS\CUP\3600-3699\3632\IS-CEQA\CUP3632 MMRP docx



County of Fresno

DEPARTMENT OF PUBLIC WORKS AND PLANNING
STEVEN E. WHITE, DIRECTOR

DATE: January 25, 2019

TO: Department of Public Works and Planning, Attn: Bernard Jimenez, Assistant Director
Department of Public Works and Planning, Attn: John R. Thompson, Assistant
Director
Development Services and Capital Projects, Attn: William M. Kettler, Division
Manager
Development Services and Capital Projects, Attn: Chris Motta, Principal Planner
Development Services and Capital Projects, Current Planning, Attn: Marianne
Mollring, Senior Planner
Development Services and Capital Projects, Policy Planning, ALCC,
Attn: Mohammad Khorsand
Development Services and Capital Projects, Zoning & Permit Review, Attn: Tawanda
Mtunga
Development Services and Capital Projects, Site Plan Review, Attn: Hector Luna
Development Services and Capital Projects, Building & Safety/Plan Check,
Attn: Chuck Jonas
Development Services and Capital Projects, Building & Safety/Plan Check, CASp,
Attn: Dan Mather
Development Engineering, Attn: Kevin Nehring, Senior Engineer
Development Engineering, Attn: Laurie Kennedy, Grading/Mapping
Road Maintenance and Operations, Attn: Frank Daniele/Nadia Lopez
Design Division, Attn: Mohammad Alimi/Dale Siemer
Community Development Division, Attn: Kristi Johnson
Water and Natural Resources Division, Attn: Glenn Allen, Division Manager
Fresno County Health Officer, Dept. of Public Health, Attn: Ken Bird, M.D.
Department of Public Health, Environmental Health Division, Attn: Kevin Tsuda/Deep
Sidhu/Steven Rhodes
Agricultural Commissioner, Attn: Les Wright
Sheriff's Office, Attn: Captain John Zanoni, Lt. John Reynolds, Lt. Louie Hernandez,
Lt. Kathy Curtice, Lt. Ryan Hushaw
U.S. Fish and Wildlife Service, San Joaquin Valley Division, Attn: Sarah Yates
CA Department of Fish and Wildlife
Fresno County Fire Protection District, Attn: Chris Christopherson, Battalion Chief
West Fresno County Red Scale Protective District, Attn: Josh Marshall
CA Regional Water Quality Control Board
San Joaquin Valley Unified Air Pollution Control District (PIC-CEQA Division)
Westside Resource Conservation District

FROM: Danielle Crider, Planner
Development Services Division

SUBJECT: Classified Conditional Use Permit (CUP) Application No. 3632, Initial Study
Application No. 7568

APPLICANT: Luis Bravo

DUE DATE: February 11, 2019

The Department of Public Works and Planning, Development Services and Capital Projects Division, is reviewing the subject applications proposing to allow a flea market on a 78.18-acre parcel in the AE-40 (Exclusive Agricultural, 40-acre minimum parcel size) Zone District. (APN: 073-090-20S) (Sup. Dist. 4).

The Department is also reviewing for environmental effects as mandated by the California Environmental Quality Act (CEQA) and for conformity with plans and policies of the County.

Based upon this review, a determination will be made regarding conditions to be imposed on the project, including necessary on-site and off-site improvements.

Please return your comments by **February 11, 2019**. If your agency or department has no comments, please return a "no comments" response. If you need extra time to review the proposed project, please let me know before the comment deadline.

If you have any questions, contact Danielle Crider, Planner, Fresno County Department of Public Works and Planning at (559) 600-9669 or at dacrider@co.fresno.ca.us.

DTC:
G:\4360Devs&Pln\PROJSEC\PROJDOCS\CUP\3600-3699\3632\ROUTING\CUP 3632 Routing Ltr.doc

Activity Code (Internal Review): 2381

Enclosures



Fresno County Department of Public Works and Planning

Date Received: 12/18/18

CWP 3032
IS 7508

(Application No.)

MAILING ADDRESS:
Department of Public Works and Planning
Development Services and Capital Projects Division
2220 Tulare St., 6th Floor
Fresno, Ca. 93721

LOCATION:
Southwest corner of Tulare & "M" Streets, Suite A
Street Level
Fresno Phone: (559) 600-4497

APPLICATION FOR:

- Pre-Application (Type)
- Amendment Application
- Amendment to Text
- Conditional Use Permit
- Variance (Class)/Minor Variance
- Site Plan Review/Occupancy Permit
- No Shoot/Dog Leash Law Boundary
- General Plan Amendment/Specific Plan/SP Amendment)
- Time Extension for _____
- Director Review and Approval
- for 2nd Residence
- Determination of Merger
- Agreements
- ALCC/RLCC
- Other _____

DESCRIPTION OF PROPOSED USE OR REQUEST:

Flea Market /
Swap meet

CEQA DOCUMENTATION: Initial Study PER N/A

PLEASE USE FILL-IN FORM OR PRINT IN BLACK INK. Answer all questions completely. Attach required site plans, forms, statements, and deeds as specified on the Pre-Application Review. Attach Copy of Deed, including Legal Description.

LOCATION OF PROPERTY: North side of Jayne Ave.
between El Dorado Ave. and Coalinga Fire Department
Street address: 23436 W Jayne Ave Coalinga, ca. 93210
APN: 07309020 S Parcel size: 78 acres Section(s)-Twp/Rg: S - T S/R E

ADDITIONAL APN(s): _____

I, Luis Bravo (signature), declare that I am the owner, or authorized representative of the owner, of the above described property and that the application and attached documents are in all respects true and correct to the best of my knowledge. The foregoing declaration is made under penalty of perjury.

Rito Gutierrez 195 W Elm ave. Coalinga ca. 93210
Owner (Print or Type) Address City Zip Phone 559-3041884
Luis Bravo 3251 N Marks Ave. Fresno, ca. 93722
Applicant (Print or Type) Address City Zip Phone 559-9991509

Representative (Print or Type) Address City Zip Phone

CONTACT EMAIL: calshinconstruction@yahoo.com

OFFICE USE ONLY (PRINT FORM ON GREEN PAPER)

Application Type / No.: <u>CUP</u>	Fee: \$4,509.00
Application Type / No.:	Fee: \$
Application Type / No.:	Fee: \$
Application Type / No.:	Fee: \$
PER <u>Initial Study</u> No.:	Fee: \$ 2,901.00
Ag Department Review:	Fee: \$ 73.00
Health Department Review:	Fee: \$ 992.00
Received By: <u>Danielle C.</u> Invoice No.:	TOTAL: \$9,308.00

- pre-app: -247.00

UTILITIES AVAILABLE:

WATER: Yes / No
Agency: _____
SEWER: Yes / No
Agency: Septic

STAFF DETERMINATION: This permit is sought under Ordinance Section:

807. A.1-R

Related Application(s): None

Zone District: AE-40

Parcel Size: 78.18 acres

Sect-Twp/Rg: 34 - T 20 S/R 10 E

APN # 073-090-205

APN # _____

APN # _____

APN # _____

OVER.....



Development Services and Capital Projects Division
 3251 N. MARKS
 FRESNO, CA. 93722

Pre-Application Review

Department of Public Works and Planning

NUMBER: 32596
 APPLICANT: LUIS BRAVO
 PHONE: 559 999 1509

PROPERTY LOCATION: 23436 W. JAYNE
 APN: 073-090-209 ALCC: No Yes # VIOLATION NO. 0
 CNEL: No Yes (level) LOW WATER: No Yes WITHIN 1/2 MILE OF CITY: No Yes
 ZONE DISTRICT: AE40 SRA: No Yes HOMESITE DECLARATION REQ'D.: No Yes
 LOT STATUS:

Zoning: Conforms; () Legal Non-Conforming lot; () Deed Review Req'd (see Form #236)
 Merger: May be subject to merger: No Yes ZM# Initiated In process
 Map Act: () Lot of Rec. Map; On '72 rolls; () Other ; () Deeds Req'd (see Form #236)
 SCHOOL FEES: No Yes DISTRICT: Coalinga-Huron PERMIT JACKET: No Yes
 FMFCD FEE AREA: Outside () District No.: FLOOD PRONE: No Yes
 PROPOSAL: CONDITIONAL USE PERMIT TO ALLOW A CLEA MARKET

COMMENTS:
 ORD. SECTION(S): 3670 A-L R BY: R. Nahigian DATE: 11-8-18

GENERAL PLAN POLICIES:	<u>Westside</u>	PROCEDURES AND FEES:
LAND USE DESIGNATION: <u>Rangeland</u>	() GPA: <u> </u>	() MINOR VA: <u> </u>
COMMUNITY PLAN: <u> </u>	() JAA: <u> </u>	(X) HD: <u>\$492.00</u>
REGIONAL PLAN: <u> </u>	(X) CUP: <u>\$4,500.00</u>	(X) AG COMM: <u>\$93.00</u>
SPECIFIC PLAN: <u> </u>	() DRA: <u> </u>	() ALCC: <u> </u>
SPECIAL POLICIES: <u> </u>	() JVA: <u> </u>	(X) IS/PER*: <u>\$3,901.00</u>
SPHERE OF INFLUENCE: <u> </u>	() JAT: <u> </u>	() Viol. (35%): <u> </u>
ANNEX REFERRAL (LU-G17/MOU): <u> </u>	() JTT: <u> </u>	() Other: <u> </u>

COMMENTS:

Filing Fee: \$	<u>\$1,555.00</u>
Pre-Application Fee:	<u>-\$247.00</u>
Total County Filing Fee:	<u>\$1,308.00</u>

FILING REQUIREMENTS:

- Land Use Applications and Fees
- This Pre-Application Review form
- Copy of Deed / Legal Description
- Photographs
- Letter Verifying Deed Review
- IS Application and Fees* Upon review of project materials, an Initial Study (IS) with fees may be required.
- Site Plans - 4 copies (folded to 8.5"x11") + 1 - 8.5"x11" reduction
- Floor Plan & Elevations - 4 copies (folded to 8.5"x11") + 1 - 8.5"x11" reduction (if applicable)
- Project Description / Operational Statement (Typed)
- Statement of Variance Findings
- Statement of Intended Use (ALCC)
- Dependency Relationship Statement
- Resolution/Letter of Release from City of

OTHER FILING FEES:

- Archaeological Inventory Fee: \$75 at time of filing
 (Separate check to Southern San Joaquin Valley Info. Center)
- CA Dept. of Fish & Wildlife (CDFW): (\$50) (\$50+\$2,280.75)
 (Separate check to Fresno County Clerk for pass-thru to CDFW. Must be paid prior to IS closure and prior to setting hearing date.)

PLU # 113 Fee: \$247.00
 Note: This fee will apply to the application fee if the application is submitted within six (6) months of the date on this receipt.

BY: Danielle Crider DATE: 11/8/18
 PHONE NUMBER: (559) 1000-91009


NOTE: THE FOLLOWING REQUIREMENTS MAY ALSO APPLY:

<input type="checkbox"/> COVENANT	<input checked="" type="checkbox"/> SITE PLAN REVIEW
<input type="checkbox"/> MAP CERTIFICATE	<input checked="" type="checkbox"/> BUILDING PLANS
<input type="checkbox"/> PARCEL MAP	<input checked="" type="checkbox"/> BUILDING PERMITS
<input type="checkbox"/> FINAL MAP	<input checked="" type="checkbox"/> WASTE FACILITIES PERMIT
<input type="checkbox"/> FMFCD FEES	<input checked="" type="checkbox"/> SCHOOL FEES
<input type="checkbox"/> ALUC or ALCC	<input checked="" type="checkbox"/> OTHER (see reverse side)

OVER.....

CUP 3632

LOCATION MAP




Prepared by: County of Fresno Department of Public Works and Planning

GS

CUP 3632
STR 34- 20/16

EXISTING ZONING MAP



Prepared by: County of Fresno Department of Public Works and Planning


GS


CUP 3632

EXISTING LAND USE MAP



LEGEND	
GRZ - GRAZING	
SF#- SINGLE FAMILY RESIDENCE	
V - VACANT	

LEGEND:
 Subject Property




Department of Public Works and Planning
Development Services Division

Map Prepared by: GS
J.GISJCH\Landuse1

NOTE -
 Assessment purposes only.
 Not intended as portraying legal
 description of land for purposes
 of subdivision law.

SEC'S. 26 & 34, T.20S., R.16E., M.D.B.&M.



Note - Assessor's Block Numbers Shown in Ellipses
 Assessor's Parcel Numbers Shown in Circles

Project Site



County of Fresno

DEPARTMENT OF PUBLIC WORKS AND PLANNING
STEVEN E. WHITE, DIRECTOR

INITIAL STUDY APPLICATION

INSTRUCTIONS

Answer all questions completely. An incomplete form may delay processing of your application. Use additional paper if necessary and attach any supplemental information to this form. Attach an operational statement if appropriate. This application will be distributed to several agencies and persons to determine the potential environmental effects of your proposal. Please complete the form in a legible and reproducible manner (i.e., USE BLACK INK OR TYPE).

OFFICE USE ONLY

IS No. 7508

Project No(s). WP 3032

Application Rec'd.:
12/18/18

GENERAL INFORMATION

- Property Owner: Centierre 2 Properties LLC Phone/Fax: 559-304-1889
Mailing Address: 1195 W Elm Ave. Coalinga ca. 93210
Street City State/Zip
- Applicant: Luis Bravo/California Shine Construction Phone/Fax: 559-999-1509
Mailing Address: 3251 N Marks Ave. Fresno ca. 93722
Street City State/Zip
- Representative: Luis Bravo Phone/Fax: 559-999-1509
Mailing Address: _____
Street City State/Zip
- Proposed Project: Flea Market
- Project Location: 23436 W Jayne Ave. Coalinga, ca. 93210
- Project Address: Same ↑
- Section/Township/Range: 011E/20S/34 8. Parcel Size: 78 acres
- Assessor's Parcel No. 073-090-20S OVER..... ± (78.18 acres)

10. Land Conservation Contract No. (If applicable): Not under contract

11. What other agencies will you need to get permits or authorization from:

<input type="checkbox"/> LAFCo (annexation or extension of services)	<input type="checkbox"/> SJVUAPCD (Air Pollution Control District)
<input type="checkbox"/> CALTRANS	<input type="checkbox"/> Reclamation Board
<input type="checkbox"/> Division of Aeronautics	<input type="checkbox"/> Department of Energy
<input type="checkbox"/> Water Quality Control Board	<input type="checkbox"/> Airport Land Use Commission
<input type="checkbox"/> Other _____	

12. Will the project utilize Federal funds or require other Federal authorization subject to the provisions of the National Environmental Policy Act (NEPA) of 1969? Yes No

If so, please provide a copy of all related grant and/or funding documents, related information and environmental review requirements.

13. Existing Zone District: AE-40 (exclusive agricultural, 40-acre min. parcel size)

14. Existing General Plan Land Use Designation: Agriculture

ENVIRONMENTAL INFORMATION

15. Present land use: Agriculture
Describe existing physical improvements including buildings, water (wells) and sewage facilities, roads, and lighting. Include a site plan or map showing these improvements:

Existing mobile home, septic, water well

Describe the major vegetative cover: grass

Any perennial or intermittent water courses? If so, show on map: NO

According to the wetland mapper (USFW) database, an intermittent, seasonally flooded, riverine streambed may run through the northwestern corner of the parcel.

Is property in a flood-prone area? Describe: NO

FEMA zone X (area of minimal flood hazard)

16. Describe surrounding land uses (e.g., commercial, agricultural, residential, school, etc.):

North: Agriculture

South: Agriculture

East: Agriculture

West: Agriculture

17. What land use(s) in the area may be impacted by your Project?: None
Agriculture

18. What land use(s) in the area may impact your project?: None

19. Transportation:

NOTE: The information below will be used in determining traffic impacts from this project. The data may also show the need for a Traffic Impact Study (TIS) for the project.

A. Will additional driveways from the proposed project site be necessary to access public roads?
 Yes NO No

B. Daily traffic generation:

I. Residential - Number of Units _____
Lot Size _____
Single Family _____
Apartments _____

II. Commercial - Number of Employees 3
Number of Salesmen 50
Number of Delivery Trucks 50
Total Square Footage of Building 20,000 sq. ft. canopy

III. Describe and quantify other traffic generation activities:
Approximately 500
visitors to buy and sell Merchandise

20. Describe any source(s) of noise from your project that may affect the surrounding area: None

21. Describe any source(s) of noise in the area that may affect your project: None

22. Describe the probable source(s) of air pollution from your project: None

23. Proposed source of water:
 private well
 community system³--name: _____ OVER.....

24. Anticipated volume of water to be used (gallons per day)²: 50g.
25. Proposed method of liquid waste disposal:
 septic system/individual
 community system³-name _____
26. Estimated volume of liquid waste (gallons per day)²: 50g.
27. Anticipated type(s) of liquid waste: None
28. Anticipated type(s) of hazardous wastes²: None
29. Anticipated volume of hazardous wastes²: None
30. Proposed method of hazardous waste disposal²: No
31. Anticipated type(s) of solid waste: Recyclable Materials
32. Anticipated amount of solid waste (tons or cubic yards per day): 1 tone Per Week
33. Anticipated amount of waste that will be recycled (tons or cubic yards per day): 1 tone
34. Proposed method of solid waste disposal: Both garbage and recycle containers
35. Fire protection district(s) serving this area: No
36. Has a previous application been processed on this site? If so, list title and date: ~~Wanna~~
Wanna a flea market Nov 18 No.
37. Do you have any underground storage tanks (except septic tanks)? Yes _____ No X
38. If yes, are they currently in use? Yes _____ No _____

TO THE BEST OF MY KNOWLEDGE, THE FOREGOING INFORMATION IS TRUE.

[Signature]
SIGNATURE

12-10-18
DATE

¹Refer to Development Services and Capital Projects Conference Checklist
²For assistance, contact Environmental Health System, (559) 600-3357
³For County Service Areas or Waterworks Districts, contact the Resources Division, (559) 600-4259

(Revised 12/1/17)

NOTICE AND ACKNOWLEDGMENT

INDEMNIFICATION AND DEFENSE

The Board of Supervisors has adopted a policy that applicants should be made aware that they may be responsible for participating in the defense of the County in the event a lawsuit is filed resulting from the County's action on your project. You may be required to enter into an agreement to indemnify and defend the County if it appears likely that litigation could result from the County's action. The agreement would require that you deposit an appropriate security upon notice that a lawsuit has been filed. In the event that you fail to comply with the provisions of the agreement, the County may rescind its approval of the project.

STATE FISH AND WILDLIFE FEE


State law requires that specified fees (effective January 1, 2018: \$3,168.00 for an EIR; \$2,280.75 for a Mitigated/Negative Declaration) be paid to the California Department of Fish and Wildlife (CDFW) for projects which must be reviewed for potential adverse effect on wildlife resources. The County is required to collect the fees on behalf of CDFW. A \$50.00 handling fee will also be charged, as provided for in the legislation, to defray a portion of the County's costs for collecting the fees.

The following projects are exempt from the fees:

- 1. All projects statutorily exempt from the provisions of CEQA (California Environmental Quality Act).*
- 2. All projects categorically exempt by regulations of the Secretary of Resources (State of California) from the requirement to prepare environmental documents.*

A fee exemption may be issued by CDFW for eligible projects determined by that agency to have "no effect on wildlife." That determination must be provided in advance from CDFW to the County at the request of the applicant. You may wish to call the local office of CDFW at (559) 222-3761 if you need more information.

Upon completion of the Initial Study you will be notified of the applicable fee. Payment of the fee will be required before your project will be forwarded to the project analyst for scheduling of any required hearings and final processing. The fee will be refunded if the project should be denied by the County.



Applicant's Signature



Date

Planning, Community & Economic Development
PROJECT/BUSINESS OPERATIONAL STATEMENT

*Applicant or Authorized Agent and contact information:

- Luis Bravo: Cell. (559) 999-1509 Fax. (559) 412-7402
3251 N Marks Ave. Fresno Ca 93722
calshineconstruction@yahoo.com
California shine construction.net

*Property Owner(s) and contact information:

- Gutierrez Properties LLC., 195 W Elm Ave. Coalinga Ca. 93210
Cell. (559) 304-1889

*Project/Business Proposal/Concept:

- Flea Market (Swap Meet)

*Describe the project / nature of the operation:

- Rent, provide space to people who want to sell or barter merchandise, like Used goods, cheap items, collectibles, antiques Etc.

- Outdoor merchandise sales as in a field in a designated lot or under a tent provided by vendor itself

- Sell food in a Custom Food truck that will meet all County codes and standards, beer, snacks and drinks.

*Identify the surrounding uses/businesses adjacent to the project/business.

- North: Agricultural

- South: Jayne Ave.

- East: Agricultural

- West: Agricultural

*Project/business operations: (days and hours / evenings-weekends / indoor and/or outdoor)

- Weekends only (Friday, Saturday and Sunday), Outdoors from 5.00 Am to 10.00 Pm.

*Other special activities or events as part of this project/business: (temporary, permanent, frequency, hours, indoors or outdoors).

- None

*Estimated number of visitors (customers, patrons, members).

- 500

*Number of employees: (by shift, time of day, year, etc.)

- 5

*Service and delivery vehicles including company/business vehicles: (specify types and number).

- Small cargo vans with merchandise from sellers, guessing hopefully 100 vendors

*Number of parking spaces proposed and/or existing on the site/property.

- 200

*Are any goods to be sold/packaged/manufactured on the site/property (retail and/or wholesale)?

- No

*What type of equipment, supplies and/or materials will be used, kept and/or stored for the project/business?

- None

*How will access be provided to the project/business (streets, highways, rail)?


- Compacted dirt with overlay of grinded gravel to prevent dust

*Estimate the number and type of trips per day generated by the project (cars, trucks, rail).

- 100

- *Will the project/business and its use cause any unsightly appearance or create a public nuisance?
- No
- *Will the project/business and its use cause or create any noise, glare, dust, smoke or odors?
- No
- *Estimated volume of water to be used daily. Any water recycling planned or proposed?
-300 Gallons, water will be provided from existing well in good condition
- *Estimated volume of wastewater to be generated daily and characteristics (required pretreatment, etc.).
-None
- *Estimated volume of garbage/trash (solid waste) generated daily by the use and type of solid waste produced from the project/business. How will waste be stored on the premises and what type of solid waste enclosure will be constructed or provided?
-Garbage and Recycling bins will be provided permanently in a garbage enclosure
- *Will the project/business produce any hazardous materials/waste? If so, will they be shipped or stored? How will they be handled? How will they be disposed of?
- None
- *Describe the type of outdoor advertising signage needed. (type of signs, design, height, length and placement)
-4' x 8' Sign in front of Flea Market entrance
- *Will the project/business include the construction of a new building or structure? Which buildings or what portion of buildings will be used in the operation?
- Man and Woman ADA Restrooms
-Future 100'x200' canopy that we are not planning to build in the next 2 years
- *Will any existing or new outdoor lighting or outdoor sound amplification system be used?
-New 200 Amp 3 phase 120-240 Breaker panel for outdoor lighting
-Temporary shelters, canopies ,shades will be provided by vendors
- *Will the project/business install new landscaping/irrigation, fencing and walls? (Describe type, design and locations)
-Security fence surrounding flea market and proposed green area at front of Jayne Ave,

Luis Bravo (authorized agent)





12/15/2018

SITE NOTES

1. SITE TO BE GRADED TO AS TO MEET THE FOLLOWING:
 - A. MAINTAIN A MINIMUM SLOPE OF 2% AWAY FROM THE BUILDING FOR A MINIMUM DISTANCE OF 10'.
 - B. MAINTAIN POSITIVE DRAINAGE.
 - C. NO OBSTACLES TO THE FLOW OF SURFACE RUNOFF.
 - D. CONFORM TO THE SLOPE AS INDICATED BY THE LOCAL BUREAU AUTHORITY.
 - E. GRADE ADJUSTMENTS SHALL BE MADE TO BE ACCORDANCE WITH THE SLOPE INDICATED.
 - F. 2% MINIMUM SLOPE FROM THE PERMITS LINE.
 - G. PERMITS LINE SHALL BE A MINIMUM OF 10'.
2. CONTRACTOR SHALL VERIFY THE SITE AND VERIFY ALL DIMENSIONS AND LOCATIONS OF ALL UTILITIES TO THE CONTRACTOR BEFORE CONSTRUCTION.
3. CONTRACTOR SHALL VERIFY ALL UTILITY LOCATIONS AND DEPTHS TO THE PERMITS LINE AND SHALL BE RESPONSIBLE FOR ANY DAMAGE TO THE PERMITS LINE OR UTILITIES DURING THE CONSTRUCTION PERIOD BY ANY MEANS.
4. ANY UTILITIES REQUIRING PROTECTION SHALL BE THE RESPONSIBILITY OF THE USER OF THE SERVICE OF THE UTILITIES.
5. CONTRACTOR SHALL VERIFY THE LOCATION OF ALL UTILITIES AND SHALL BE RESPONSIBLE FOR ANY DAMAGE TO THE PERMITS LINE OR UTILITIES DURING THE CONSTRUCTION PERIOD BY ANY MEANS.
6. CONTRACTOR SHALL VERIFY THE LOCATION OF ALL UTILITIES AND SHALL BE RESPONSIBLE FOR ANY DAMAGE TO THE PERMITS LINE OR UTILITIES DURING THE CONSTRUCTION PERIOD BY ANY MEANS.
7. CONTRACTOR SHALL VERIFY THE LOCATION OF ALL UTILITIES AND SHALL BE RESPONSIBLE FOR ANY DAMAGE TO THE PERMITS LINE OR UTILITIES DURING THE CONSTRUCTION PERIOD BY ANY MEANS.
8. CONTRACTOR SHALL VERIFY THE LOCATION OF ALL UTILITIES AND SHALL BE RESPONSIBLE FOR ANY DAMAGE TO THE PERMITS LINE OR UTILITIES DURING THE CONSTRUCTION PERIOD BY ANY MEANS.
9. CONTRACTOR SHALL VERIFY THE LOCATION OF ALL UTILITIES AND SHALL BE RESPONSIBLE FOR ANY DAMAGE TO THE PERMITS LINE OR UTILITIES DURING THE CONSTRUCTION PERIOD BY ANY MEANS.
10. CONTRACTOR SHALL VERIFY THE LOCATION OF ALL UTILITIES AND SHALL BE RESPONSIBLE FOR ANY DAMAGE TO THE PERMITS LINE OR UTILITIES DURING THE CONSTRUCTION PERIOD BY ANY MEANS.

075-040-204
78,16 AC



NO.	REVISION	BY


California Shine
Construction

SITE PLAN

Proposed Flea Market Restrooms For:
JOSE RITO GUTIERREZ
22436 Jayne Ave
Cupertino, CA 95014

NO.	REVISION	BY

AI



ENLARGED SITE PLAN